


DIAGRAM & 12.87 – 16.00



FAN SPECS BY DIAMETER

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
12.87	4735-38449-128	10	CW	2.10	1.18	0.98	1.002	1.730
13.40	4735-38449-88	10	CW	2.16	1.18	0.98	1.002	1.730
14.00	4735-38449-65	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
14.00	4735-41296-28	7	CCW	4.00	2.10	1.90	4.000	4.478
14.09	4035-41045-53	7	CW	1.97	0.99	0.98	3.250	3.810
14.09	4735-38449-114	10	CW	2.16	1.18	0.98	3.250	3.810
14.17	4735-38449-120	10	CW	2.16	1.18	0.98	1.614	2.500
14.17	4735-41296-145	7	CCW	4.00	2.10	1.90	1.614	2.500
14.50	4735-41296-140	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
14.50	4735-41296-148	7	CCW	4.00	2.10	1.90	1.500	2.50&2.88D
15.00	4735-38449-72	10	CW	2.16	1.18	0.98	2.625	3.250
15.00	4735-41296-29	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
15.00	4735-41296-31	7	CCW	4.00	2.10	1.90	1.614	2.500
15.00	4735-41296-141	7	CCW	4.00	2.10	1.90	2.625	3.250
15.35	4735-38449-119	10	CW	2.16	1.18	0.98	1.002	1.97/2.36
15.35	4735-43559-08	9	CW	3.00	1.31	1.69	1.002	1.97/2.36
15.75	4735-38449-78	10	CW	2.16	1.18	0.98	1.252	1.970/2.125
16.00	4035-43772-05	7	CW	2.30	1.21	1.29	1.002	1.575
16.00	4735-35828-72	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
16.00	4735-38449-25	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
16.00	4735-38449-26	10	CW	2.16	1.18	0.98	1.252	1.970/2.125
16.00	4735-38449-32	10	CW	2.16	1.18	0.98	2.000	3.500
16.00	4735-38449-34	10	CW	2.16	1.18	0.98	2.562	3.500
16.00	4735-38449-68	10	CW	2.16	1.18	0.98	2.625	3.250
16.00	4735-38449-107	10	CW	2.16	1.18	0.98	1.263	2.130
16.00	4735-38449-108	10	CW	2.16	1.18	0.98	1.002	1.75/2.188
16.00	4735-38449-112	10	CW	2.16	1.18	0.98	1.002	2.047
16.00	4735-38449-122	10	CW	2.16	1.18	0.98	1.002	1.575
16.00	4735-41296-36	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
16.00	4735-41296-42	7	CCW	4.00	2.10	1.90	4.000	4.478
16.00	4735-41296-137	7	CCW	4.00	2.10	1.90	1.263	2.130
16.00	4735-41296-142	7	CCW	4.00	2.10	1.90	2.625	3.250
16.00	4035-43777-10	7	CCW	2.30	1.21	1.29	1.500	2.50/2.875

16.50 – 18.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
16.50	4035-43477-04	8	CCW	3.18	2.10	0.96	1.500	Double
16.50	4035-43477-05	8	CCW	3.18	2.10	0.96	1.614	2.500
16.50	4035-43478-07	8	CCW	3.10-3.175	1.33	1.71	1.614	2.500
16.50	4035-43478-09	8	CCW	3.10-3.175	1.33	1.71	1.500	2.500/2.875
16.50	4735-38449-69	10	CW	2.16	1.18	0.98	1.500	Double
16.50	4735-41296-12	7	CCW	4.00	2.10	1.90	1.500	Double
16.50	4735-41296-143	7	CCW	4.00	2.10	1.90	2.625	3.250
16.50	4735-41296-150	7	CCW	4.00	2.10	1.90	3.250	3.810
16.50	4735-41296-153	7	CCW	4.00	2.10	1.90	1.417	2.283
16.50	4035-43777-09	7	CCW	2.30	1.21	1.29	1.500	2.50/2.875
16.50	4735-42002-02	—	—	—	—	—	1.500	Double
16.92	010011766	7	CCW	1.04	0.49	0.55	5.410	6.024
17.00	4035-41045-11	7	CW	1.97	0.99	0.98	2.562	—
17.00	4735-38449-37	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
17.00	4735-38449-40	10	CW	2.16	1.18	0.98	2.562	3.500
17.00	4735-38449-109	10	CW	2.16	1.18	0.98	1.614	2.400
17.00	4735-38449-111	10	CW	2.16	1.18	0.98	1.002	2.047
17.00	4735-38449-123	10	CW	2.16	1.18	0.98	1.500	2.50/2.875
17.00	4735-38449-131	10	CW	2.16	1.18	0.98	2.620	3.250
17.00	4735-41296-17	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
17.00	4735-41296-44	7	CCW	4.00	2.10	1.90	1.614	2.500
17.00	4735-41296-121	7	CCW	4.00	2.10	1.90	1.614	2.500
17.00	4735-42599-65	10	CCW	2.90	2.10	0.93	2.187	3.000
17.00	4735-42600-65	10	CW	2.90	2.10	0.93	2.187	3.000
17.00	010010338	7	CCW	2.59	1.28	1.32	2.520	3.250
17.50	4735-38449-98	10	CW	2.16	1.18	0.98	4.000	4.478
17.72	4035-43478-15	8	CCW	3.10-3.175	1.33	1.71	1.102	1.890
17.72	4735-38449-121	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
18.00	4035-41045-12	7	CW	1.97	0.99	0.98	1.002	Double
18.00	4035-41045-36	7	CW	1.97	0.99	0.98	1.614	—
18.00	4035-43477-03	8	CCW	3.18	2.10	0.96	1.500	Double
18.00	4035-43477-06	8	CCW	3.18	2.10	0.96	1.614	2.500
18.00	4035-43478-06	8	CCW	3.10-3.175	1.33	1.71	1.614	2.500
18.00	4035-43478-08	8	CCW	3.10-3.175	1.33	1.71	1.500	2.500/2.875
18.00	4035-43559-07	8	CW	3.10-3.30	1.31-1.41	1.67	1.614	2.500
18.00	4035-43560-02	9	CW	3.10-3.30	2.05-2.25	0.92	1.614	2.500
18.00	4035-43560-03	9	CW	3.10-3.30	2.05-2.25	0.92	1.002	1.97/2.36
18.00	4035-43560-06	9	CW	3.10-3.30	2.05-2.25	0.92	2.625	3.250
18.00	4035-43772-06	7	CW	2.30	1.21	1.29	2.625	3.250
18.00	4735-35480-135	6	CW	2.83	1.85	0.98	1.002	2.120
18.00	4735-35828-52	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
18.00	4735-35828-77	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
18.00	4735-35828-116	7	CCW	2.72	1.42	1.30	1.500	Double
18.00	4735-35828-128	7	CCW	2.72	1.42	1.30	1.614	2.500
18.00	4735-35828-144	7	CCW	2.72	1.42	1.30	1.693	2.440
18.00	4735-35828-164	7	CCW	2.72	1.42	1.30	1.614	2.374
18.00	4735-38449-19	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
18.00	4735-38449-42	10	CW	2.16	1.18	0.98	2.000	3.500
18.00	4735-38449-43	10	CW	2.16	1.18	0.98	2.053	3.50/3.875
18.00	4735-38449-44	10	CW	2.16	1.18	0.98	2.625	3.250
18.00	4735-38449-45	10	CW	2.16	1.18	0.98	3.250	3.810
18.00	4735-38449-77	10	CW	2.16	1.18	0.98	1.500	Double
18.00	4735-38449-81	10	CW	2.16	1.18	0.98	1.002	2.190
18.00	4735-38449-82	10	CW	2.16	1.18	0.98	2.000	3.500
18.00	4735-38449-83	10	CW	2.16	1.18	0.98	1.614	2.500
18.00	4735-38449-89	10	CW	2.16	1.18	0.98	1.252	1.970/2.125
18.00	4735-38449-129	10	CW	2.16	1.18	0.98	1.417	2.283
18.00	4735-41296-04	7	CCW	4.00	2.10	1.90	1.614	2.500
18.00	4735-41296-13	7	CCW	4.00	2.10	1.90	1.500	Double
18.00	4735-41296-49	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
18.00	4735-41296-115	7	CCW	4.00	2.10	1.90	1.263	2.130
18.00	4735-41296-129	7	CCW	4.00	2.10	1.90	1.614	2.374
18.00	4735-41296-144	7	CCW	4.00	2.10	1.90	1.693	2.440
18.00	4735-41296-146	7	CCW	4.00	2.10	1.90	1.126	2.063
18.00	4735-41296-147	7	CCW	4.00	2.10	1.90	3.250	3.810
18.00	4735-42002-01	—	—	—	—	—	1.500	Double
18.00	4735-42599-62	10	CCW	2.90	2.10	0.93	1.614	2.500
18.00	4735-42599-101	10	CCW	2.90	2.10	0.93	2.000	3.500
18.00	4735-42599-110	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
18.00	4735-42600-62	10	CW	2.90	2.10	0.93	1.614	2.500
18.00	4735-42600-110	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
18.00	4735-43559-07	9	CW	3.00	1.31	1.69	1.614	2.500

FAN SPECS BY DIAMETER

18.04 – 20.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
18.04	4035-43777-01	7	CCW	2.30	1.21	1.29	0.877	—
18.04	4035-43777-04	7	CCW	2.30	1.21	1.29	1.614	2.500
18.04	403-43777-05	7	CCW	2.30	1.21	1.29	1.500	2.500
18.11	010011005	11	CCW	2.13	1.22	0.91	2.626	3.250
18.50	4735-35828-112	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
18.50	4735-35828-194	7	CCW	2.72	1.42	1.30	1.262	2.360
18.50	4735-42599-82	10	CCW	2.90	2.10	0.93	1.614	2.500
18.50	010010377	10	CW	2.61	1.71	0.90	3.250	3.810
19.00	4035-41045-34	7	CW	1.97	0.99	0.98	1.614	—
19.00	4035-43559-06	8	CW	3.10-3.30	1.31-1.41	1.67	1.614	2.500
19.00	4735-38449-27	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
19.00	4735-38449-47	10	CW	2.16	1.18	0.98	2.000	3.500
19.00	4735-38449-91	10	CW	2.16	1.18	0.98	1.614	2.500
19.00	4735-38449-118	10	CW	2.16	1.18	0.98	1.500	Double
19.00	4735-41296-06	7	CCW	4.00	2.10	1.90	1.614	2.500
19.00	4735-41296-19	7	CCW	4.00	2.10	1.90	1.500	Double
19.00	4735-41296-120	7	CCW	4.00	2.10	1.90	1.614	2.500
19.00	4735-42599-90	10	CCW	2.90	2.10	0.93	1.263	2.750
19.00	4735-42600-98	10	CW	2.90	2.10	0.93	4.000	4.478
19.00	4735-43559-06	9	CW	3.00	1.31	1.69	1.614	2.500
19.00	4735-43368-67	9	CCW	3.31	1.32	1.83	1.500	2.50/2.875
19.50	4735-38449-02	10	CW	2.16	1.18	0.98	2.562	3.50 dia(4@.406 & 4@.703)
19.50	4735-38449-04	10	CW	2.16	1.18	0.98	4.000	4.478
19.50	4735-38449-59	10	CW	2.16	1.18	0.98	2.625	3.250
19.50	4735-42599-103	10	CCW	2.90	2.10	0.93	2.562	3.50 dia(4@.406 & 4@.703)
19.50	4735-42599-112	10	CCW	2.90	2.10	0.93	5.001	6.000
19.50	4735-42599-116	10	CCW	2.90	2.10	0.93	3.250	3.810
19.69	4035-41045-54	7	CW	1.97	0.99	0.98	1.614	—
19.69	4035-43478-10	8	CCW	3.10-3.175	1.33	1.71	1.002	1.97/2.36
19.69	4035-43560-01	9	CW	3.10-3.30	2.05-2.25	0.92	2.625	3.250
19.69	4735-38449-116	10	CW	2.16	1.18	0.98	1.614	2.500
19.69	4735-43559-09	9	CW	3.00	1.31	1.69	1.002	1.97/2.36
20.00	4035-41045-19	7	CW	1.97	0.99	0.98	1.002	Double
20.00	4035-41045-22	7	CW	1.97	0.99	0.98	3.250	3.810
20.00	4035-41045-24	7	CW	1.97	0.99	0.98	2.000	3.500
20.00	4035-41045-37	7	CW	1.97	0.99	0.98	1.614	Double
20.00	4035-41045-43	7	CW	1.97	0.99	0.98	1.614	—
20.00	4035-41045-52	7	CW	1.97	0.99	0.98	2.519	—
20.00	4035-43475-01	8	CCW	2.95	2.06	0.96	2.625	3.250
20.00	4035-43477-01	8	CCW	3.18	2.10	0.96	2.625	3.250
20.00	4035-43477-02	8	CCW	3.18	2.10	0.96	1.002	NO
20.00	4035-43478-01	8	CCW	3.10-3.175	1.33	1.71	2.562	3.500
20.00	4035-43478-02	8	CCW	3.10-3.175	1.33	1.71	2.000	3.500
20.00	4035-43478-03	8	CCW	3.10-3.175	1.33	1.71	1.002	1.97D
20.00	4035-43478-05	8	CCW	3.10-3.175	1.33	1.71	1.614	2.500
20.00	4035-43559-01	8	CW	3.10-3.30	1.31-1.41	1.67	2.562	3.500
20.00	4035-43559-02	8	CW	3.10-3.30	1.31-1.41	1.67	2.000	3.500
20.00	4035-43559-03	8	CW	3.10-3.30	1.31-1.41	1.67	1.002	1.97D
20.00	4035-43559-04	8	CW	3.10-3.30	1.31-1.41	1.67	1.500	2.50D
20.00	4035-43559-05	8	CW	3.10-3.30	1.31-1.41	1.67	1.614	2.500
20.00	4735-35480-93	6	CW	2.83	1.85	0.98	1.002	1.97/2.360
20.00	4735-35828-42	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
20.00	4735-35828-63	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
20.00	4735-35828-81	7	CCW	2.72	1.42	1.30	2.562	3.500
20.00	4735-35828-146	7	CCW	2.72	1.42	1.30	1.614	2.500
20.00	4735-35828-158	7	CCW	2.72	1.42	1.30	4.094	5.120
20.00	4735-35828-193	7	CCW	2.72	1.42	1.30	1.002	1.720
20.00	4735-38449-03	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
20.00	4735-38449-08	10	CW	2.16	1.18	0.98	2.000	3.500
20.00	4735-38449-17	10	CW	2.16	1.18	0.98	3.250	3.810
20.00	4735-38449-52	10	CW	2.16	1.18	0.98	2.560	3.500
20.00	4735-38449-56	10	CW	2.16	1.18	0.98	3.250	3.810
20.00	4735-38449-62	10	CW	2.16	1.18	0.98	4.000	4.478
20.00	4735-38449-64	10	CW	2.16	1.18	0.98	1.614	2.500
20.00	4735-38449-74	10	CW	2.16	1.18	0.98	1.252	1.970/2.125
20.00	4735-38449-86	10	CW	2.16	1.18	0.98	1.614	2.500
20.00	4735-38449-90	10	CW	2.16	1.18	0.98	1.500	Double
20.00	4735-38449-105	10	CW	2.16	1.18	0.98	5.000	None
20.00	4735-38449-113	10	CW	2.16	1.18	0.98	1.343	2.500
20.00	4735-38617-63	6	CW	2.83	1.85	0.98	1.614	—
20.00	4735-38825-71	6	CW	2.83	1.17	1.66	1.002	1.97/2.360

FAN SPECS BY DIAMETER

20.00 – 21.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
20.00	4735-41296-03	7	CCW	4.00	2.10	1.90	1.614	2.500
20.00	4735-41296-61	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
20.00	4735-41296-155	7	CCW	4.00	2.10	1.90	1.500	2.50/2.875
20.00	4735-42599-60	10	CCW	2.90	2.10	0.93	1.614	2.500
20.00	4735-42599-61	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
20.00	4735-42599-114	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
20.00	4735-42600-60	10	CW	2.90	2.10	0.93	1.614	2.500
20.00	4735-42600-61	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
20.00	4735-42600-111	10	CW	2.90	2.10	0.93	2.562	3.500
20.00	4735-42600-122	10	CW	2.90	2.10	0.93	5.001	6.000
20.00	4735-43217-10	9	CW	3.30-3.15	1.27	—	3.250	3.810
20.00	4735-43217-51	9	CW	3.30-3.15	1.27	—	2.562	3.500
20.00	4735-43217-52	9	CW	3.30-3.15	1.27	—	2.000	3.500
20.00	4735-43217-53	9	CW	3.30-3.15	1.27	—	3.687	4.625
20.00	4735-43217-54	9	CW	3.30-3.15	1.27	—	5.001	6.000
20.00	4735-43217-55	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
20.00	4735-43217-56	9	CW	3.30-3.15	1.27	—	4.921	5.750/6.00
20.00	4735-43217-57	9	CW	3.30-3.15	1.27	—	1.614	2.500
20.00	4735-43368-10	9	CCW	3.31	1.32	1.83	3.250	3.810
20.00	4735-43368-51	9	CCW	3.31	1.32	1.83	2.562	3.500
20.00	4735-43368-52	9	CCW	3.31	1.32	1.83	2.000	3.500
20.00	4735-43368-53	9	CCW	3.31	1.32	1.83	3.687	4.625
20.00	4735-43368-54	9	CCW	3.31	1.32	1.83	5.001	6.000
20.00	4735-43368-55	9	CCW	3.31	1.32	1.83	1.002	1.97/2.360
20.00	4735-43368-56	9	CCW	3.31	1.32	1.83	4.921	5.750/6.00
20.00	4735-43368-57	9	CCW	3.31	1.32	1.83	1.614	2.500
20.00	010019700	9	CCW	2.06	1.50	0.56	2.625	3.250
20.00	4735-43400-10	9	CW	3.01	1.18	1.70	3.250	3.810
20.00	4735-43400-51	9	CW	3.01	1.18	1.70	2.562	3.500
20.00	4735-43400-52	9	CW	3.01	1.18	1.70	2.000	3.500
20.00	4735-43400-53	9	CW	3.01	1.18	1.70	3.687	4.625
20.00	4735-43400-54	9	CW	3.01	1.18	1.70	5.001	6.000
20.00	4735-43400-55	9	CW	3.01	1.18	1.70	1.002	1.97/2.360
20.00	4735-43400-56	9	CW	3.01	1.18	1.70	4.921	5.750/6.00
20.00	4735-43400-57	9	CW	3.01	1.18	1.70	1.614	2.500
20.00	4735-43434-10	9	CCW	3.01	1.18	1.70	3.250	3.810
20.00	4735-43434-51	9	CCW	3.01	1.18	1.70	2.562	3.500
20.00	4735-43434-52	9	CCW	3.01	1.18	1.70	2.000	3.500
20.00	4735-43434-53	9	CCW	3.01	1.18	1.70	3.687	4.625
20.00	4735-43434-54	9	CCW	3.01	1.18	1.70	5.001	6.000
20.00	4735-43434-55	9	CCW	3.01	1.18	1.70	1.002	1.97/2.360
20.00	4735-43434-56	9	CCW	3.01	1.18	1.70	4.921	5.750/6.00
20.00	4735-43434-57	9	CCW	3.01	1.18	1.70	1.614	2.500
20.00	4735-43480-11	9	CW	3.31-3.16	2.02	1.15	5.001	6.000
20.00	4735-43559-01	9	CW	3.00	1.31	1.69	2.562	3.500
20.00	4735-43559-02	9	CW	3.00	1.31	1.69	2.000	3.500
20.00	4735-43559-03	9	CW	3.00	1.31	1.69	1.002	1.97/2.36
20.00	4735-43559-04	9	CW	3.00	1.31	1.69	1.500	2.5/2.875
20.00	4735-43559-05	9	CW	3.00	1.31	1.69	1.614	2.500
20.41	4735-38449-97	10	CW	2.16	1.18	0.98	1.575	2.835
20.50	4735-35480-42	6	CW	2.83	1.85	0.98	5.001	6.000
20.50	4735-38617-50	6	CW	2.83	1.85	0.98	5.001	6.000
20.50	4735-42599-117	10	CCW	2.90	2.10	0.93	1.262	2.360
20.87	4035-41045-38	7	CW	1.97	0.99	0.98	3.250	3.810
21.00	4035-41045-03	7	CW	1.97	0.99	0.98	2.000	3.500
21.00	4735-35480-133	6	CW	2.83	1.85	0.98	1.500	Double
21.00	4735-38449-21	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
21.00	4735-38449-23	10	CW	2.16	1.18	0.98	2.000	3.500
21.00	4735-38449-54	10	CW	2.16	1.18	0.98	4.000	4.478
21.00	4735-38449-103	10	CW	2.16	1.18	0.98	1.500	Double
21.00	4735-38449-117	10	CW	2.16	1.18	0.98	1.614	2.500
21.00	4735-38449-133	10	CW	2.16	1.18	0.98	1.260	2.750
21.00	4735-41296-68	7	CCW	4.00	2.10	1.90	1.500	2.50/2.875
21.00	4735-41393-102	9	CW	3.50	2.04	1.46	3.250	3.810
21.00	4735-42599-66	10	CCW	2.90	2.10	0.93	1.614	2.500
21.00	4735-42600-66	10	CW	2.90	2.10	0.93	1.614	2.500
21.00	4735-42600-93	10	CW	2.90	2.10	0.93	2.000	3.500
21.00	4735-42600-120	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
21.00	4735-42621-102	9	CCW	3.60	0.54	2.96	3.250	3.810
21.00	4735-42622-102	9	CCW	3.60	1.29	2.21	3.250	3.800
21.00	4735-42623-102	9	CCW	3.60	2.04	1.46	3.250	3.810
21.00	4735-43217-43	9	CW	3.30-3.15	1.27	—	2.562	3.500

FAN SPECS BY DIAMETER

21.00 – 22.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
21.00	4735-43217-44	9	CW	3.30-3.15	1.27	—	2.000	3.500
21.00	4735-43217-45	9	CW	3.30-3.15	1.27	—	3.687	4.625
21.00	4735-43217-46	9	CW	3.30-3.15	1.27	—	5.001	6.000
21.00	4735-43217-47	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
21.00	4735-43217-48	9	CW	3.30-3.15	1.27	—	4.921	5.750/6.00
21.00	4735-43217-49	9	CW	3.30-3.15	1.27	—	3.250	3.810
21.00	4735-43217-50	9	CW	3.30-3.15	1.27	—	1.614	2.500
21.00	4735-43368-43	9	CCW	3.31	1.32	1.83	2.562	3.500
21.00	4735-43368-44	9	CCW	3.31	1.32	1.83	2.000	3.500
21.00	4735-43368-45	9	CCW	3.31	1.32	1.83	3.687	4.625
21.00	4735-43368-46	9	CCW	3.31	1.32	1.83	5.001	6.000
21.00	4735-43368-47	9	CCW	3.31	1.32	1.83	1.002	1.97/2.360
21.00	4735-43368-48	9	CCW	3.31	1.32	1.83	4.921	5.750/6.00
21.00	4735-43368-49	9	CCW	3.31	1.32	1.83	3.250	3.810
21.00	4735-43368-50	9	CCW	3.31	1.32	1.83	1.614	2.500
21.00	4735-43400-43	9	CW	3.01	1.18	1.70	2.562	3.500
21.00	4735-43400-44	9	CW	3.01	1.18	1.70	2.000	3.500
21.00	4735-43400-45	9	CW	3.01	1.18	1.70	3.687	4.625
21.00	4735-43400-46	9	CW	3.01	1.18	1.70	5.001	6.000
21.00	4735-43400-47	9	CW	3.01	1.18	1.70	1.002	1.97/2.360
21.00	4735-43400-48	9	CW	3.01	1.18	1.70	4.921	5.750/6.00
21.00	4735-43400-49	9	CW	3.01	1.18	1.70	3.250	3.810
21.00	4735-43400-50	9	CW	3.01	1.18	1.70	1.614	2.500
21.00	4735-43434-43	9	CCW	3.01	1.18	1.70	2.562	3.500
21.00	4735-43434-44	9	CCW	3.01	1.18	1.70	2.000	3.500
21.00	4735-43434-45	9	CCW	3.01	1.18	1.70	3.687	4.625
21.00	4735-43434-46	9	CCW	3.01	1.18	1.70	5.001	6.000
21.00	4735-43434-47	9	CCW	3.01	1.18	1.70	1.002	1.97/2.360
21.00	4735-43434-48	9	CCW	3.01	1.18	1.70	4.921	5.750/6.00
21.00	4735-43434-49	9	CCW	3.01	1.18	1.70	3.250	3.810
21.00	4735-43434-50	9	CCW	3.01	1.18	1.70	1.614	2.500
21.50	4735-38825-70	6	CW	2.83	1.17	1.66	1.002	1.97/2.360
21.54	020003126	9	CW	2.72	2.17	0.55	5.001	6.000
21.65	4735-42599-109	10	CCW	2.90	2.10	0.93	3.250	3.810
21.67	4735-38449-100	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
21.71	4735-43217-67	9	CW	3.30-3.15	1.27	—	5.001	6.000
21.72	4735-38449-102	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
21.72	4735-43217-58	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
22.00	4035-41045-01	7	CW	1.97	0.99	0.98	3.250	3.810
22.00	4035-41045-28	7	CW	1.97	0.99	0.98	1.002	1.97/2.360
22.00	4035-41045-29	7	CW	1.97	0.99	0.98	2.000	3.500
22.00	4035-41045-47	7	CW	1.97	0.99	0.98	2.625	—
22.00	4735-35480-19	6	CW	2.83	1.85	0.98	2.562	3.500
22.00	4735-35480-22	6	CW	2.83	1.85	0.98	5.001	6.000
22.00	4735-35480-25	6	CW	2.83	1.85	0.98	2.000	3.500
22.00	4735-35480-45	6	CW	2.83	1.85	0.98	2.053	3.50/3.875
22.00	4735-35480-65	6	CW	2.83	1.85	0.98	3.250	3.810
22.00	4735-35480-78	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
22.00	4735-35480-84	6	CW	2.83	1.85	0.98	1.002	1.97/2.360
22.00	4735-35828-18	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
22.00	4735-35828-43	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
22.00	4735-35828-68	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
22.00	4735-35828-86	7	CCW	2.72	1.42	1.30	2.562	3.500
22.00	4735-35828-88	7	CCW	2.72	1.42	1.30	5.001	6.000
22.00	4735-35828-188	7	CCW	2.72	1.42	1.30	1.614	2.500
22.00	4735-38164-10	8	CW	4.00	1.42	2.58	5.001	6.000
22.00	4735-38449-05	10	CW	2.16	1.18	0.98	2.562	3.500
22.00	4735-38449-06	10	CW	2.16	1.18	0.98	1.002	1.97/2.360
22.00	4735-38449-09	10	CW	2.16	1.18	0.98	2.000	3.500
22.00	4735-38449-18	10	CW	2.16	1.18	0.98	2.562	3.500
22.00	4735-38449-28	10	CW	2.16	1.18	0.98	1.245	4.000
22.00	4735-38449-55	10	CW	2.16	1.18	0.98	2.053	3.50/3.875
22.00	4735-38449-70	10	CW	2.16	1.18	0.98	3.250	3.810
22.00	4735-38449-76	10	CW	2.16	1.18	0.98	2.562	3.50 dia(4@.406 & 4@.703)
22.00	4735-38449-87	10	CW	2.16	1.18	0.98	1.614	2.500
22.00	4735-38449-94	10	CW	2.16	1.18	0.98	1.263	2.130
22.00	4735-38449-104	10	CW	2.16	1.18	0.98	5.000	None
22.00	4735-38449-106	10	CW	2.16	1.18	0.98	1.417	2.360
22.00	010020261	10	CW	2.16	1.18	0.98	1.500	2.500
22.00	4735-38617-01	6	CW	2.83	1.85	0.98	5.001	6.000
22.00	4735-38617-04	6	CW	2.83	1.85	0.98	3.250	3.810
22.00	4735-38617-07	6	CW	2.83	1.85	0.98	2.562	3.500

FAN SPECS BY DIAMETER

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
22.00	4735-38617-34	6	CW	2.83	1.85	0.98	2.000	3.500
22.00	4735-38825-14	6	CW	2.83	1.17	1.66	2.000	3.50/3.875
22.00	4735-38825-69	6	CW	2.83	1.17	1.66	1.002	1.97/2.360
22.00	4735-40518-04	9	CW	2.59	1.90	0.97	3.250	3.810
22.00	4735-41134-11	8	CW	3.00	2.03	0.97	1.002	1.97/2.360
22.00	4735-41296-11	7	CCW	4.00	2.10	1.90	1.614	2.500
22.00	4735-41296-74	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
22.00	4735-41296-76	7	CCW	4.00	2.10	1.90	2.000	3.500
22.00	4735-41296-117	7	CCW	4.00	2.10	1.90	2.187	3.000
22.00	4735-41391-51	9	CW	3.50	0.54	2.96	2.000	3.500
22.00	4735-41391-52	9	CW	3.50	0.54	2.96	2.562	3.500
22.00	4735-41391-82	9	CW	3.50	0.54	2.96	4.921	5.750/6.00
22.00	4735-41392-51	9	CW	3.50	1.29	2.21	2.000	3.500
22.00	4735-41392-53	9	CW	3.50	1.29	2.21	3.250	3.810
22.00	4735-41392-54	9	CW	3.50	1.29	2.21	5.001	6.000
22.00	4735-41392-108	9	CW	3.50	1.29	2.21	1.614	2.500
22.00	4735-41393-50	9	CW	3.50	2.04	1.46	1.002	1.97/2.360
22.00	4735-41393-51	9	CW	3.50	2.04	1.46	2.000	3.500
22.00	4735-41393-52	9	CW	3.50	2.04	1.46	2.562	3.500
22.00	4735-41393-53	9	CW	3.50	2.04	1.46	3.250	3.810
22.00	4735-41393-54	9	CW	3.50	2.04	1.46	5.001	6.000
22.00	4735-42599-44	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
22.00	4735-42599-45	10	CCW	2.90	2.10	0.93	1.500	Double
22.00	4735-42599-46	10	CCW	2.90	2.10	0.93	1.614	2.500
22.00	4735-42599-47	10	CCW	2.90	2.10	0.93	2.000	3.50/3.875
22.00	4735-42599-48	10	CCW	2.90	2.10	0.93	2.562	3.500
22.00	4735-42599-50	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
22.00	4735-42599-51	10	CCW	2.90	2.10	0.93	5.001	6.000
22.00	4735-42600-44	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
22.00	4735-42600-45	10	CW	2.90	2.10	0.93	1.500	Double
22.00	4735-42600-46	10	CW	2.90	2.10	0.93	1.614	2.500
22.00	4735-42600-47	10	CW	2.90	2.10	0.93	2.000	3.50/3.875
22.00	4735-42600-48	10	CW	2.90	2.10	0.93	2.562	3.500
22.00	4735-42600-50	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
22.00	4735-42600-51	10	CW	2.90	2.10	0.93	5.001	6.000
22.00	4735-42600-94	10	CW	2.90	2.10	0.93	3.250	3.810
22.00	4735-42621-50	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
22.00	4735-42621-51	9	CCW	3.60	0.54	2.96	2.000	3.500
22.00	4735-42621-52	9	CCW	3.60	0.54	2.96	2.562	3.500
22.00	4735-42621-53	9	CCW	3.60	0.54	2.96	3.250	3.810
22.00	4735-42621-54	9	CCW	3.60	0.54	2.96	5.001	6.000
22.00	4735-42621-69	9	CCW	3.60	0.54	2.96	4.000	4.478
22.00	4735-42621-82	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
22.00	4735-42621-108	9	CCW	3.60	0.54	2.96	1.614	2.500
22.00	4735-42622-50	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
22.00	4735-42622-51	9	CCW	3.60	1.29	2.21	2.000	3.500
22.00	4735-42622-52	9	CCW	3.60	1.29	2.21	2.562	3.500
22.00	4735-42622-53	9	CCW	3.60	1.29	2.21	3.250	3.800
22.00	4735-42622-54	9	CCW	3.60	1.29	2.21	5.001	6.000
22.00	4735-42622-69	9	CCW	3.60	1.29	2.21	4.000	4.478
22.00	4735-42622-82	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
22.00	4735-42623-50	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
22.00	4735-42623-51	9	CCW	3.60	2.04	1.46	2.000	3.500
22.00	4735-42623-52	9	CCW	3.60	2.04	1.46	2.562	3.500
22.00	4735-42623-53	9	CCW	3.60	2.04	1.46	3.250	3.810
22.00	4735-42623-54	9	CCW	3.60	2.04	1.46	5.001	6.000
22.00	4735-42623-69	9	CCW	3.60	2.04	1.46	4.000	4.478
22.00	4735-42623-82	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
22.00	4735-42623-108	9	CCW	3.60	2.04	1.46	1.614	2.500
22.00	4735-42904-98	8	CW	3.00	0.98	2.01	5.001	6.000
22.00	4735-43179-51	10	CW	—	—	—	5.001	6.000
22.00	4735-43217-08	9	CW	3.30-3.15	1.27	—	5.001	6.000
22.00	4735-43217-14	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
22.00	4735-43217-15	9	CW	3.30-3.15	1.27	—	1.614	2.500
22.00	4735-43217-38	9	CW	3.30-3.15	1.27	—	2.562	3.500
22.00	4735-43217-39	9	CW	3.30-3.15	1.27	—	2.000	3.500
22.00	4735-43217-40	9	CW	3.30-3.15	1.27	—	3.687	4.625
22.00	4735-43217-41	9	CW	3.30-3.15	1.27	—	4.921	5.750/6.00
22.00	4735-43217-42	9	CW	3.30-3.15	1.27	—	3.250	3.810
22.00	4735-43217-59	9	CW	3.30-3.15	1.27	—	2.562	3.50 dia(4@.406 & 4@.703)
22.00	4735-43368-08	9	CCW	3.31	1.32	1.83	5.001	6.000
22.00	4735-43368-14	9	CCW	3.31	1.32	1.83	1.002	1.97/2.360

22.00 – 23.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
22.00	4735-43368-15	9	CCW	3.31	1.32	1.83	1.614	2.500
22.00	4735-43368-38	9	CCW	3.31	1.32	1.83	2.562	3.500
22.00	4735-43368-39	9	CCW	3.31	1.32	1.83	2.000	3.500
22.00	4735-43368-40	9	CCW	3.31	1.32	1.83	3.687	4.625
22.00	4735-43368-41	9	CCW	3.31	1.32	1.83	4.921	5.750/6.00
22.00	4735-43368-42	9	CCW	3.31	1.32	1.83	3.250	3.810
22.00	4735-43400-08	9	CW	3.01	1.18	1.70	5.001	6.000
22.00	4735-43400-14	9	CW	3.01	1.18	1.70	1.002	1.97/2.360
22.00	4735-43400-15	9	CW	3.01	1.18	1.70	1.614	2.500
22.00	4735-43400-38	9	CW	3.01	1.18	1.70	2.562	3.500
22.00	4735-43400-39	9	CW	3.01	1.18	1.70	2.000	3.500
22.00	4735-43400-40	9	CW	3.01	1.18	1.70	3.687	4.625
22.00	4735-43400-41	9	CW	3.01	1.18	1.70	4.921	5.750/6.00
22.00	4735-43400-42	9	CW	3.01	1.18	1.70	3.250	3.810
22.00	4735-43434-08	9	CCW	3.01	1.18	1.70	5.001	6.000
22.00	4735-43434-14	9	CCW	3.01	1.18	1.70	1.002	1.97/2.360
22.00	4735-43434-15	9	CCW	3.01	1.18	1.70	1.614	2.500
22.00	4735-43434-38	9	CCW	3.01	1.18	1.70	2.562	3.500
22.00	4735-43434-39	9	CCW	3.01	1.18	1.70	2.000	3.500
22.00	4735-43434-40	9	CCW	3.01	1.18	1.70	3.687	4.625
22.00	4735-43434-41	9	CCW	3.01	1.18	1.70	4.921	5.750/6.00
22.00	4735-43434-42	9	CCW	3.01	1.18	1.70	3.250	3.810
22.00	4735-43480-08	9	CW	3.30-3.15	2.02	1.15	5.001	6.000
22.00	4735-43783-24	9	CW	3.65	2.10	1.55	3.250	3.810
22.00	4735-43782-16	9	CW	3.65	1.35	2.30	2.562	3.500
22.44	020003124	9	CW	2.72	1.42	1.30	5.001	6.000
22.78	4735-41296-125	7	CCW	4.00	2.10	1.90	1.614	2.500
22.83	4735-38164-95	8	CW	4.00	1.42	2.58	5.001	6.000
22.83	4735-43480-28	9	CW	3.31-3.16	2.02	1.15	3.250	3.810
22.83	4735-43480-31	9	CW	3.31-3.16	2.02	1.15	5.001	6.000
23.00	4735-35480-16	6	CW	2.83	1.85	0.98	1.263	2.130
23.00	4735-35480-17	6	CW	2.83	1.85	0.98	3.250	3.810
23.00	4735-35480-29	6	CW	2.83	1.85	0.98	2.000	3.500
23.00	4735-35480-35	6	CW	2.83	1.85	0.98	5.001	6.000
23.00	4735-35480-75	6	CW	2.83	1.85	0.98	2.562	3.500
23.00	4735-35480-134	6	CW	2.83	1.85	0.98	1.500	Double
23.00	4735-35828-31	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
23.00	4735-35828-89	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
23.00	4735-37494-36	8	CW	3.01	0.87	2.14	2.560	3.500
23.00	4735-38164-17	8	CW	4.00	1.42	2.58	5.001	6.000
23.00	4735-38164-24	8	CW	4.00	1.42	2.58	2.000	3.50/3.875
23.00	4735-38164-40	8	CW	4.00	1.42	2.58	2.562	3.500
23.00	4735-38825-21	6	CW	2.83	1.17	1.66	1.002	1.97/2.360
23.00	4735-38825-22	6	CW	2.83	1.17	1.66	2.000	3.50/3.875
23.00	4735-38825-76	6	CW	2.83	1.17	1.66	1.500	Double
23.00	4735-41135-45	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
23.00	4735-41135-46	8	CW	3.00	1.28	1.72	2.000	3.500
23.00	4735-41135-47	8	CW	3.00	1.28	1.72	2.562	3.500
23.00	4735-41135-48	8	CW	3.00	1.28	1.72	3.250	3.810
23.00	4735-41296-20	7	CCW	4.00	2.10	1.90	1.500	Double
23.00	4735-41296-80	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
23.00	4735-41296-81	7	CCW	4.00	2.10	1.90	1.500	2.50/2.875
23.00	4735-41296-82	7	CCW	4.00	2.10	1.90	1.614	2.500
23.00	4735-41296-83	7	CCW	4.00	2.10	1.90	2.000	3.500
23.00	4735-41392-45	9	CW	3.50	1.29	2.21	1.002	1.97/2.360
23.00	4735-41392-46	9	CW	3.50	1.29	2.21	2.000	3.500
23.00	4735-41392-47	9	CW	3.50	1.29	2.21	2.562	3.500
23.00	4735-42599-58	10	CCW	2.90	2.10	0.93	2.000	3.500
23.00	4735-42599-74	10	CCW	2.90	2.10	0.93	5.001	6.000
23.00	4735-42599-106	10	CCW	2.90	2.10	0.93	1.500	Double
23.00	4735-42600-58	10	CW	2.90	2.10	0.93	2.000	3.500
23.00	4735-42600-74	10	CW	2.90	2.10	0.93	5.001	6.000
23.00	4735-42600-95	10	CW	2.90	2.10	0.93	1.002	Double
23.00	4735-42600-106	10	CW	2.90	2.10	0.93	1.500	Double
23.00	4735-42621-45	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
23.00	4735-42621-46	9	CCW	3.60	0.54	2.96	2.000	3.500
23.00	4735-42621-47	9	CCW	3.60	0.54	2.96	2.562	3.500
23.00	4735-42621-48	9	CCW	3.60	0.54	2.96	3.250	3.810
23.00	4735-42621-49	9	CCW	3.60	0.54	2.96	5.001	6.000
23.00	4735-42622-45	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
23.00	4735-42622-46	9	CCW	3.60	1.29	2.21	2.000	3.500
23.00	4735-42622-47	9	CCW	3.60	1.29	2.21	2.562	3.500

FAN SPECS BY DIAMETER

23.00 – 23.62

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
23.00	4735-42622-48	9	CCW	3.60	1.29	2.21	3.250	3.800
23.00	4735-42622-49	9	CCW	3.60	1.29	2.21	5.001	6.000
23.00	4735-42622-70	9	CCW	3.60	1.29	2.21	4.000	4.478
23.00	4735-42623-45	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
23.00	4735-42623-46	9	CCW	3.60	2.04	1.46	2.000	3.500
23.00	4735-42623-47	9	CCW	3.60	2.04	1.46	2.562	3.500
23.00	4735-42623-48	9	CCW	3.60	2.04	1.46	3.250	3.810
23.00	4735-42623-49	9	CCW	3.60	2.04	1.46	5.001	6.000
23.00	4735-42623-70	9	CCW	3.60	2.04	1.46	4.000	4.478
23.00	4735-42904-36	8	CW	3.00	0.98	2.01	2.562	3.500
23.00	4735-43179-74	10	CW	—	—	—	5.001	6.000
23.00	4735-43217-09	9	CW	3.30-3.15	1.27	—	5.001	6.000
23.00	4735-43217-13	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
23.00	4735-43217-32	9	CW	3.30-3.15	1.27	—	2.562	3.500
23.00	4735-43217-33	9	CW	3.30-3.15	1.27	—	2.000	3.500
23.00	4735-43217-34	9	CW	3.30-3.15	1.27	—	3.687	4.625
23.00	4735-43217-35	9	CW	3.30-3.15	1.27	—	4.921	5.750/6.00
23.00	4735-43217-36	9	CW	3.30-3.15	1.27	—	3.250	3.810
23.00	4735-43217-37	9	CW	3.30-3.15	1.27	—	1.614	2.500
23.00	4735-43368-09	9	CCW	3.31	1.32	1.83	5.001	6.000
23.00	4735-43368-13	9	CCW	3.31	1.32	1.83	1.002	1.97/2.360
23.00	4735-43368-32	9	CCW	3.31	1.32	1.83	2.562	3.500
23.00	4735-43368-33	9	CCW	3.31	1.32	1.83	2.000	3.500
23.00	4735-43368-34	9	CCW	3.31	1.32	1.83	3.687	4.625
23.00	4735-43368-35	9	CCW	3.31	1.32	1.83	4.921	5.750/6.00
23.00	4735-43368-36	9	CCW	3.31	1.32	1.83	3.250	3.810
23.00	4735-43368-37	9	CCW	3.31	1.32	1.83	1.614	2.500
23.00	4735-43368-58	9	CCW	3.31	1.32	1.83	1.500	Double
23.00	4735-43400-09	9	CW	3.01	1.18	1.70	5.001	6.000
23.00	4735-43400-13	9	CW	3.01	1.18	1.70	1.002	1.97/2.360
23.00	4735-43400-32	9	CW	3.01	1.18	1.70	2.562	3.500
23.00	4735-43400-33	9	CW	3.01	1.18	1.70	2.000	3.500
23.00	4735-43400-34	9	CW	3.01	1.18	1.70	3.687	4.625
23.00	4735-43400-35	9	CW	3.01	1.18	1.70	4.921	5.750/6.00
23.00	4735-43400-36	9	CW	3.01	1.18	1.70	3.250	3.810
23.00	4735-43400-37	9	CW	3.01	1.18	1.70	1.614	2.500
23.00	4735-43434-09	9	CCW	3.01	1.18	1.70	5.001	6.000
23.00	4735-43434-13	9	CCW	3.01	1.18	1.70	1.002	1.97/2.360
23.00	4735-43434-32	9	CCW	3.01	1.18	1.70	2.562	3.500
23.00	4735-43434-33	9	CCW	3.01	1.18	1.70	2.000	3.500
23.00	4735-43434-34	9	CCW	3.01	1.18	1.70	3.687	4.625
23.00	4735-43434-35	9	CCW	3.01	1.18	1.70	4.921	5.750/6.00
23.00	4735-43434-36	9	CCW	3.01	1.18	1.70	3.250	3.810
23.00	4735-43434-37	9	CCW	3.01	1.18	1.70	1.614	2.500
23.00	4735-43480-09	9	CW	3.31-3.16	2.02	1.15	5.001	6.000
23.00	4735-43782-06	9	CW	3.65	1.35	2.3	2.562	3.500
23.00	4735-43783-14	9	CW	3.65	2.10	1.55	5.001	6.000
23.00	4735-43783-18	9	CW	3.65	2.10	1.55	5.001	6.000
23.00	4735-43934-01	9	CW	3.28	1.89	1.39	5.001	6.000
23.00	4735-43782-18	9	CW	3.65	1.35	2.30	5.001	6.000
23.22	4735-42599-89	10	CCW	2.90	2.10	0.93	1.102	2.360
23.24	4735-43787-02	9	CCW	3.65	2.10	1.55	5.001	6.000
23.25	4035-43464-01	9	CCW	2.78	1.88	0.95	2.625	3.250
23.25	4035-43641-01	9	CCW	2.85	1.88	0.88	2.625	3.250
23.25	4735-35480-120	6	CW	2.83	1.85	0.98	3.250	3.810
23.25	4735-43783-22	9	CW	3.65	2.10	1.55	1.002	2.36/1.97
23.30	4735-43368-60	9	CCW	3.31	1.32	1.83	1.500	2.50/2.875
23.50	4735-35480-126	6	CW	2.83	1.85	0.98	1.614	2.500
23.50	4735-35828-119	7	CCW	2.72	1.42	1.30	1.500	Double
23.50	4735-42904-99	8	CW	3.00	0.98	2.01	5.001	6.000
23.60	4735-38164-93	8	CW	4.00	1.42	2.58	4.921	5.750/6.00
23.60	4735-41391-92	9	CW	3.50	0.54	2.96	5.001	6.000
23.60	4735-41393-92	9	CW	3.50	2.04	1.46	5.001	6.000
23.60	4735-42621-92	9	CCW	3.60	0.54	2.96	5.001	6.000
23.60	4735-42622-92	9	CCW	3.60	1.29	2.21	5.001	6.000
23.60	4735-42623-92	9	CCW	3.60	2.04	1.46	5.001	6.000
23.62	4735-35828-191	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
23.62	4735-41296-135	7	CCW	4.00	2.10	1.90	2.000	3.500
23.62	4735-41391-98	9	CW	3.50	0.54	2.96	4.921	5.750/6.00
23.62	4735-42599-42	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
23.62	4735-42599-43	10	CCW	2.90	2.10	0.93	5.001	6.000
23.62	4735-42599-69	10	CCW	2.90	2.10	0.93	2.000	3.500(4)

FAN SPECS BY DIAMETER

23.62 – 24.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
23.62	4735-42600-42	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
23.62	4735-42600-43	10	CW	2.90	2.10	0.93	5.001	6.000
23.62	4735-42600-69	10	CW	2.90	2.10	0.93	2.000	3.500
23.62	4735-42600-97	10	CW	2.90	2.10	0.93	3.250	3.810
23.62	4735-42600-108	10	CW	2.90	2.10	0.93	4.000	4.478
23.62	4735-42621-98	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
23.62	4735-42622-98	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
23.62	4735-42623-98	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
23.62	4735-43217-61	9	CW	3.30-3.15	1.27	—	1.614	2.500
23.62	4735-43368-59	9	CCW	3.31	1.32	1.83	5.000	6.000
23.66	4735-42600-72	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
23.68	4735-43783-23	9	CW	3.65	2.10	1.55	5.001	6.000
23.75	4735-41296-154	7	CCW	4.00	2.10	1.90	1.002	1.97/2.36
24.00	4735-35480-15	6	CW	2.83	1.85	0.98	2.562	3.500
24.00	4735-35480-21	6	CW	2.83	1.85	0.98	5.001	6.000
24.00	4735-35480-32	6	CW	2.83	1.85	0.98	2.000	3.500
24.00	4735-35480-44	6	CW	2.83	1.85	0.98	3.250	3.810
24.00	4735-35480-48	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
24.00	4735-35480-49	6	CW	2.83	1.85	0.98	2.053	3.50/3.875
24.00	4735-35480-85	6	CW	2.83	1.85	0.98	1.002	1.97/2.360
24.00	4735-35828-16	7	CCW	2.72	1.42	1.30	2.562	3.500
24.00	4735-35828-19	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
24.00	4735-35828-24	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
24.00	4735-35828-44	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
24.00	4735-35828-90	7	CCW	2.72	1.42	1.30	3.250	3.810
24.00	4735-35828-91	7	CCW	2.72	1.42	1.30	5.001	6.000
24.00	4735-35828-108	7	CCW	2.72	1.42	1.30	1.263	2.750/2.360/1.969
24.00	4735-35828-145	7	CCW	2.72	1.42	1.30	1.262	2.360
24.00	4735-35828-178	7	CCW	2.72	1.42	1.30	1.500	Double
24.00	4735-35828-182	7	CCW	2.72	1.42	1.30	1.614	2.500
24.00	4735-35828-183	7	CCW	2.72	1.42	1.30	1.378	2.050
24.00	4735-37494-17	8	CW	3.01	0.87	2.14	7.001	8.440
24.00	4735-37494-22	8	CW	3.01	0.87	2.14	2.560	3.500
24.00	4735-37494-31	8	CW	3.01	0.87	2.14	5.001	6.000
24.00	4735-37494-33	8	CW	3.01	0.87	2.14	2.000	3.50/3.875
24.00	4735-37494-55	8	CW	3.01	0.87	2.14	2.050	3.50/3.875
24.00	4735-38164-27	8	CW	4.00	1.42	2.58	1.002	1.97/2.360
24.00	4735-38164-45	8	CW	4.00	1.42	2.58	2.053	3.50/3.875
24.00	4735-38164-67	8	CW	4.00	1.42	2.58	5.001	6.000
24.00	4735-38164-69	8	CW	4.00	1.42	2.58	2.000	3.50/3.875
24.00	4735-38617-02	6	CW	2.83	1.85	0.98	5.001	6.000
24.00	4735-38617-03	6	CW	2.83	1.85	0.98	2.562	3.500
24.00	4735-38617-20	6	CW	2.83	1.85	0.98	4.000	4.478
24.00	4735-38825-31	6	CW	2.83	1.17	1.66	1.002	1.97/2.360
24.00	4735-38825-32	6	CW	2.83	1.17	1.66	2.000	3.50/3.875
24.00	4735-38825-34	6	CW	2.83	1.17	1.66	2.562	3.500
24.00	4735-38825-35	6	CW	2.83	1.17	1.66	3.250	3.810
24.00	4735-38825-37	6	CW	2.83	1.17	1.66	5.001	6.000
24.00	4735-38825-81	6	CW	2.83	1.17	1.66	2.000	3.500
24.00	4735-38825-84	6	CW	2.83	1.17	1.66	1.500	Double
24.00	4735-40518-05	9	CW	2.59	1.90	0.97	5.001	6.000
24.00	4735-40518-06	9	CW	2.59	1.90	0.97	3.250	3.810
24.00	4735-40518-07	9	CW	2.59	1.90	0.97	2.562	3.500
24.00	4735-41134-31	8	CW	3.00	2.03	0.97	1.002	1.97/2.360
24.00	4735-41134-32	8	CW	3.00	2.03	0.97	2.000	3.500
24.00	4735-41134-33	8	CW	3.00	2.03	0.97	2.562	3.500
24.00	4735-41134-35	8	CW	3.00	2.03	0.97	5.001	6.000
24.00	4735-41135-40	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
24.00	4735-41135-41	8	CW	3.00	1.28	1.72	2.000	3.500
24.00	4735-41135-42	8	CW	3.00	1.28	1.72	2.562	3.500
24.00	4735-41135-43	8	CW	3.00	1.28	1.72	3.250	3.810
24.00	4735-41135-44	8	CW	3.00	1.28	1.72	5.001	6.000
24.00	4735-41296-14	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
24.00	4735-41296-88	7	CCW	4.00	2.10	1.90	1.614	2.500
24.00	4735-41296-89	7	CCW	4.00	2.10	1.90	2.000	3.500
24.00	4735-41296-136	7	CCW	4.00	2.10	1.90	1.002	None
24.00	4735-41391-40	9	CW	3.50	0.54	2.96	1.002	1.97/2.360
24.00	4735-41391-43	9	CW	3.50	0.54	2.96	3.250	3.810
24.00	4735-41391-44	9	CW	3.50	0.54	2.96	5.001	6.000
24.00	4735-41391-79	9	CW	3.50	0.54	2.96	2.187	3.000
24.00	4735-41391-83	9	CW	3.50	0.54	2.96	4.921	5.750/6.00
24.00	4735-41392-40	9	CW	3.50	1.29	2.21	1.002	1.97/2.360

FAN SPECS BY DIAMETER

24.00 – 24.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
24.00	4735-41392-41	9	CW	3.50	1.29	2.21	2.000	3.500
24.00	4735-41392-42	9	CW	3.50	1.29	2.21	2.562	3.500
24.00	4735-41392-44	9	CW	3.50	1.29	2.21	5.001	6.000
24.00	4735-41393-40	9	CW	3.50	2.04	1.46	1.002	1.97/2.360
24.00	4735-41393-41	9	CW	3.50	2.04	1.46	2.000	3.500
24.00	4735-41393-42	9	CW	3.50	2.04	1.46	2.562	3.500
24.00	4735-41393-43	9	CW	3.50	2.04	1.46	3.250	3.810
24.00	4735-41393-44	9	CW	3.50	2.04	1.46	5.001	6.000
24.00	4735-41495-09	9	CW	3.00	0.52	2.47	2.562	3.500
24.00	4735-41497-09	9	CW	3.00	2.02	0.97	2.562	3.500
24.00	4735-41498-09	9	CW	3.00	1.27	1.72	2.562	3.500
24.00	4735-43783-21	9	CW	3.65	2.10	1.55	1.002	2.36/1.97
24.00	4735-43783-19	9	CW	3.65	2.10	1.55	2.000	3.500
24.00	010020276	9	CW	3.65	2.10	1.55	2.562	3.500
24.00	010020168	9	CW	3.65	2.10	1.55	3.250	3.810
24.00	4735-43783-33	9	CW	3.65	2.10	1.55	3.250	3.810
24.00	4735-43783-27	9	CW	3.65	2.10	1.55	5.001	6.000
24.00	4735-42476-44	8	CW	3.00	1.28	1.72	5.001	6.000
24.00	4735-42476-45	8	CW	3.00	1.28	1.72	5.001	6.000
24.00	4735-42578-44	8	CW	3.00	2.03	0.97	5.001	6.000
24.00	4735-42599-34	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
24.00	4735-42599-35	10	CCW	2.90	2.10	0.93	1.500	Double
24.00	4735-42599-36	10	CCW	2.90	2.10	0.93	1.614	2.500
24.00	4735-42599-37	10	CCW	2.90	2.10	0.93	2.000	3.50/3.875
24.00	4735-42599-38	10	CCW	2.90	2.10	0.93	2.562	3.500
24.00	4735-42599-40	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
24.00	4735-42599-41	10	CCW	2.90	2.10	0.93	5.001	6.000
24.00	4735-42600-34	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
24.00	4735-42600-35	10	CW	2.90	2.10	0.93	1.500	Double
24.00	4735-42600-36	10	CW	2.90	2.10	0.93	1.614	2.500
24.00	4735-42600-37	10	CW	2.90	2.10	0.93	2.000	3.50/3.875
24.00	4735-42600-38	10	CW	2.90	2.10	0.93	2.562	3.500
24.00	4735-42600-39	10	CW	2.90	2.10	0.93	4.000	4.478
24.00	4735-42600-40	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
24.00	4735-42600-41	10	CW	2.90	2.10	0.93	5.001	6.000
24.00	4735-42600-77	10	CW	2.90	2.10	0.93	3.250	3.810
24.00	4735-42600-104	10	CW	2.90	2.10	0.93	1.264	2.750
24.00	4735-42621-40	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
24.00	4735-42621-41	9	CCW	3.60	0.54	2.96	2.000	3.500
24.00	4735-42621-42	9	CCW	3.60	0.54	2.96	2.562	3.500
24.00	4735-42621-43	9	CCW	3.60	0.54	2.96	3.250	3.810
24.00	4735-42621-44	9	CCW	3.60	0.54	2.96	5.001	6.000
24.00	4735-42621-83	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
24.00	4735-42622-40	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
24.00	4735-42622-41	9	CCW	3.60	1.29	2.21	2.000	3.500
24.00	4735-42622-42	9	CCW	3.60	1.29	2.21	2.562	3.500
24.00	4735-42622-43	9	CCW	3.60	1.29	2.21	3.250	3.800
24.00	4735-42622-44	9	CCW	3.60	1.29	2.21	5.001	6.000
24.00	4735-42622-71	9	CCW	3.60	1.29	2.21	4.000	4.478
24.00	4735-42622-83	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
24.00	4735-42623-40	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
24.00	4735-42623-41	9	CCW	3.60	2.04	1.46	2.000	3.500
24.00	4735-42623-42	9	CCW	3.60	2.04	1.46	2.562	3.500
24.00	4735-42623-43	9	CCW	3.60	2.04	1.46	3.250	3.810
24.00	4735-42623-44	9	CCW	3.60	2.04	1.46	5.001	6.000
24.00	4735-42623-71	9	CCW	3.60	2.04	1.46	4.000	4.478
24.00	4735-42623-83	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
24.00	4735-42904-22	8	CW	3.00	0.98	2.01	2.562	3.500
24.00	4735-42904-31	8	CW	3.00	0.98	2.01	5.001	6.000
24.00	4735-42904-33	8	CW	3.00	0.98	2.01	2.000	3.50/3.875
24.00	4735-42904-40	8	CW	3.00	0.98	2.01	1.002	1.97/2.360
24.00	4735-43217-12	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
24.00	4735-43217-16	9	CW	3.30-3.15	1.27	—	3.250	3.810
24.00	4735-43217-26	9	CW	3.30-3.15	1.27	—	2.562	3.500
24.00	4735-43217-27	9	CW	3.30-3.15	1.27	—	2.000	3.500
24.00	4735-43217-28	9	CW	3.30-3.15	1.27	—	3.687	4.625
24.00	4735-43217-29	9	CW	3.30-3.15	1.27	—	5.001	6.000
24.00	4735-43217-30	9	CW	3.30-3.15	1.27	—	4.921	5.750/6.00
24.00	4735-43217-31	9	CW	3.30-3.15	1.27	—	1.614	2.500
24.00	4735-43217-60	9	CW	3.30-3.15	1.27	—	1.500	Double
24.00	4735-43329-09	9	CW	2.85	0.51	—	2.562	3.500
24.00	4735-43330-09	9	CW	2.85	1.26	—	2.562	3.500

FAN SPECS BY DIAMETER

24.00 – 25.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
24.00	4735-43331-09	9	CW	2.85	2.01	—	2.562	3.500
24.00	4735-43340-42	9	CW	3.60	1.45	—	2.562	3.500
24.00	4735-43340-44	9	CW	3.60	1.45	—	5.001	6.000
24.00	4735-43368-12	9	CCW	3.31	1.32	1.83	1.002	1.97/2.360
24.00	4735-43368-16	9	CCW	3.31	1.32	1.83	3.250	3.810
24.00	4735-43368-26	9	CCW	3.31	1.32	1.83	2.562	3.500
24.00	4735-43368-27	9	CCW	3.31	1.32	1.83	2.000	3.500
24.00	4735-43368-28	9	CCW	3.31	1.32	1.83	3.687	4.625
24.00	4735-43368-29	9	CCW	3.31	1.32	1.83	5.001	6.000
24.00	4735-43368-30	9	CCW	3.31	1.32	1.83	4.921	5.750/6.00
24.00	4735-43368-31	9	CCW	3.31	1.32	1.83	1.614	2.500
24.00	4735-43400-12	9	CW	3.01	1.18	1.70	1.002	1.97/2.360
24.00	4735-43400-16	9	CW	3.01	1.18	1.70	3.250	3.810
24.00	4735-43400-26	9	CW	3.01	1.18	1.70	2.562	3.500
24.00	4735-43400-27	9	CW	3.01	1.18	1.70	2.000	3.500
24.00	4735-43400-28	9	CW	3.01	1.18	1.70	3.687	4.625
24.00	4735-43400-29	9	CW	3.01	1.18	1.70	5.001	6.000
24.00	4735-43400-30	9	CW	3.01	1.18	1.70	4.921	5.750/6.00
24.00	4735-43400-31	9	CW	3.01	1.18	1.70	1.614	2.500
24.00	4735-43434-12	9	CCW	3.01	1.18	1.70	1.002	1.97/2.360
24.00	4735-43434-16	9	CCW	3.01	1.18	1.70	3.250	3.810
24.00	4735-43434-26	9	CCW	3.01	1.18	1.70	2.562	3.500
24.00	4735-43434-27	9	CCW	3.01	1.18	1.70	2.000	3.500
24.00	4735-43434-28	9	CCW	3.01	1.18	1.70	3.687	4.625
24.00	4735-43434-29	9	CCW	3.01	1.18	1.70	5.001	6.000
24.00	4735-43434-30	9	CCW	3.01	1.18	1.70	4.921	5.750/6.00
24.00	4735-43434-31	9	CCW	3.01	1.18	1.70	1.614	2.500
24.00	4735-43439-17	8	CW	3.17	1.27	—	7.001	8.440
24.00	4735-43480-25	9	CW	3.31-3.16	2.02	1.15	3.250	3.810
24.00	4735-43480-26	9	CW	3.31-3.16	2.02	1.15	1.002	1.97/2.36
24.00	4735-43480-27	9	CW	3.31-3.16	2.02	1.15	2.000	3.500
24.00	4735-43782-08	9	CW	3.65	1.35	2.3	5.001	6.000
24.00	4735-43782-09	9	CW	3.65	1.35	2.3	5.001	6.000
24.00	4735-43783-09	9	CW	3.65	2.10	1.55	5.001	6.000
24.00	4735-43786-03	9	CCW	3.65	1.35	2.30	2.562	3.500
24.00	4735-43787-01	9	CCW	3.65	2.10	1.55	5.001	6.000
24.40	4735-41393-112	9	CW	3.50	2.04	1.46	4.000	4.478
24.41	4735-35828-163	7	CCW	2.72	1.42	1.30	5.001	6.000
24.41	4735-42599-54	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
24.41	4735-42600-54	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
24.50	4735-41296-134	7	CCW	4.00	2.10	1.90	2.000	3.500
24.50	4735-41393-111	9	CW	3.50	2.04	1.46	5.001	6.000
24.50	4735-42600-79	10	CW	2.90	2.10	0.93	5.001	6.000
24.50	4735-43179-79	10	CW	—	—	—	5.001	6.000
24.50	4735-43217-63	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
24.50	4735-43340-111	9	CW	3.60	1.45	—	5.001	6.000
24.60	4735-41393-116	9	CW	3.50	2.04	1.46	1.262	2.362
24.60	4735-42600-85	10	CW	2.90	2.10	0.93	1.889	2.840
24.60	4735-42600-91	10	CW	2.90	2.10	0.93	1.693	2.440
24.60	4735-43217-62	9	CW	3.30-3.15	1.27	—	1.693	2.440
24.60	4735-43217-64	9	CW	3.30-3.15	1.27	—	1.262	2.360
24.60	4735-43217-65	9	CW	3.30-3.15	1.27	—	1.889	2.840
25.00	4735-35828-70	7	CCW	2.72	1.42	1.30	4.000	4.478
25.00	4735-37494-25	8	CW	3.01	0.87	2.14	2.560	3.500
25.00	4735-37494-75	8	CW	3.01	0.87	2.14	2.050	3.50/3.875
25.00	4735-38164-51	8	CW	4.00	1.42	2.58	2.562	3.500
25.00	4735-38164-68	8	CW	4.00	1.42	2.58	5.001	6.000
25.00	4735-38164-88	8	CW	4.00	1.42	2.58	4.921	5.750/6.00
25.00	4735-38825-85	6	CW	2.83	1.17	1.66	1.500	Double
25.00	4735-41134-39	8	CW	3.00	2.03	0.97	5.001	6.000
25.00	4735-41135-35	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
25.00	4735-41135-36	8	CW	3.00	1.28	1.72	2.000	3.500
25.00	4735-41135-37	8	CW	3.00	1.28	1.72	2.562	3.500
25.00	4735-41135-38	8	CW	3.00	1.28	1.72	3.250	3.810
25.00	4735-41135-39	8	CW	3.00	1.28	1.72	5.001	6.000
25.00	4735-41296-07	7	CCW	4.00	2.10	1.90	4.000	4.478
25.00	4735-41296-93	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
25.00	4735-41296-95	7	CCW	4.00	2.10	1.90	1.614	2.500
25.00	4735-41391-37	9	CW	3.50	0.54	2.96	2.562	3.500
25.00	4735-41391-39	9	CW	3.50	0.54	2.96	5.001	6.000
25.00	4735-41391-72	9	CW	3.50	0.54	2.96	4.000	4.478
25.00	4735-41392-35	9	CW	3.50	1.29	2.21	1.002	1.97/2.360

FAN SPECS BY DIAMETER

25.00 – 25.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
25.00	4735-41392-36	9	CW	3.50	1.29	2.21	2.000	3.500
25.00	4735-41392-37	9	CW	3.50	1.29	2.21	2.562	3.500
25.00	4735-41392-38	9	CW	3.50	1.29	2.21	3.250	3.810
25.00	4735-41392-39	9	CW	3.50	1.29	2.21	5.001	6.000
25.00	4735-41392-72	9	CW	3.50	1.29	2.21	4.000	4.478
25.00	4735-41393-35	9	CW	3.50	2.04	1.46	1.002	1.97/2.360
25.00	4735-41393-36	9	CW	3.50	2.04	1.46	2.000	3.500
25.00	4735-41393-39	9	CW	3.50	2.04	1.46	5.001	6.000
25.00	4735-41393-72	9	CW	3.50	2.04	1.46	4.000	4.478
25.00	4735-41495-10	9	CW	3.00	0.52	2.47	2.562	3.500
25.00	4735-41498-10	9	CW	3.00	1.27	1.72	2.562	3.500
25.00	4735-43782-19	9	CW	3.65	1.35	2.30	1.614	2.500
25.00	010011656	9	CW	3.65	2.10	1.55	2.000	3.500
25.00	010019754	9	CW	3.65	1.64	2.01	5.001	6.000
25.00	010019756	9	CW	3.65	1.79	1.86	5.001	6.000
25.00	4735-42599-80	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
25.00	4735-42599-83	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
25.00	4735-42599-105	10	CCW	2.90	2.10	0.93	1.614	2.500
25.00	4735-42600-102	10	CW	2.90	2.10	0.93	5.001	6.000
25.00	4735-42600-105	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
25.00	4735-42621-35	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
25.00	4735-42621-36	9	CCW	3.60	0.54	2.96	2.000	3.500
25.00	4735-42621-37	9	CCW	3.60	0.54	2.96	2.562	3.500
25.00	4735-42621-38	9	CCW	3.60	0.54	2.96	3.250	3.810
25.00	4735-42621-39	9	CCW	3.60	0.54	2.96	5.001	6.000
25.00	4735-42622-35	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
25.00	4735-42622-36	9	CCW	3.60	1.29	2.21	2.000	3.500
25.00	4735-42622-37	9	CCW	3.60	1.29	2.21	2.562	3.500
25.00	4735-42622-38	9	CCW	3.60	1.29	2.21	3.250	3.800
25.00	4735-42622-39	9	CCW	3.60	1.29	2.21	5.001	6.000
25.00	4735-42622-72T	9	CCW	3.60	1.29	2.21	4.000	4.478
25.00	4735-42623-35	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
25.00	4735-42623-36	9	CCW	3.60	2.04	1.46	2.000	3.500
25.00	4735-42623-37	9	CCW	3.60	2.04	1.46	2.562	3.500
25.00	4735-42623-38	9	CCW	3.60	2.04	1.46	3.250	3.810
25.00	4735-42623-39	9	CCW	3.60	2.04	1.46	5.001	6.000
25.00	4735-42623-72	9	CCW	3.60	2.04	1.46	4.000	4.478
25.00	4735-42904-25	8	CW	3.00	0.98	2.01	2.562	3.500
25.00	4735-42904-75	8	CW	3.00	0.98	2.01	2.053	3.50/3.875
25.00	4735-42904-77	8	CW	3.00	0.98	2.01	2.000	3.50/3.875
25.00	4735-43217-11	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
25.00	4735-43217-19	9	CW	3.30-3.15	1.27	—	2.562	3.500
25.00	4735-43217-20	9	CW	3.30-3.15	1.27	—	2.000	3.500
25.00	4735-43217-21	9	CW	3.30-3.15	1.27	—	3.687	4.625
25.00	4735-43217-22	9	CW	3.30-3.15	1.27	—	5.001	6.000
25.00	4735-43217-23	9	CW	3.30-3.15	1.27	—	4.921	5.750/6.00
25.00	4735-43217-24	9	CW	3.30-3.15	1.27	—	3.250	3.810
25.00	4735-43217-25	9	CW	3.30-3.15	1.27	—	1.614	2.500
25.00	4735-43329-10	9	CW	2.85	0.51	—	2.562	3.500
25.00	4735-43330-10	9	CW	2.85	1.26	—	2.562	3.500
25.00	4735-43368-11	9	CCW	3.31	1.32	1.83	1.002	1.97/2.360
25.00	4735-43368-19	9	CCW	3.31	1.32	1.83	2.562	3.500
25.00	4735-43368-20	9	CCW	3.31	1.32	1.83	2.000	3.500
25.00	4735-43368-21	9	CCW	3.31	1.32	1.83	3.687	4.625
25.00	4735-43368-22	9	CCW	3.31	1.32	1.83	5.001	6.000
25.00	4735-43368-23	9	CCW	3.31	1.32	1.83	4.921	5.750/6.00
25.00	4735-43368-24	9	CCW	3.31	1.32	1.83	3.250	3.810
25.00	4735-43368-25	9	CCW	3.31	1.32	1.83	1.614	2.500
25.00	4735-43368-62	9	CCW	3.31	1.32	1.83	1.500	2.50/2.875
25.00	4735-43400-11	9	CW	3.01	1.18	1.70	1.002	1.97/2.360
25.00	4735-43400-19	9	CW	3.01	1.18	1.70	2.562	3.500
25.00	4735-43400-20	9	CW	3.01	1.18	1.70	2.000	3.500
25.00	4735-43400-21	9	CW	3.01	1.18	1.70	3.687	4.625
25.00	4735-43400-22	9	CW	3.01	1.18	1.70	5.001	6.000
25.00	4735-43400-23	9	CW	3.01	1.18	1.70	4.921	5.750/6.00
25.00	4735-43400-24	9	CW	3.01	1.18	1.70	3.250	3.810
25.00	4735-43400-25	9	CW	3.01	1.18	1.70	1.614	2.500
25.00	4735-43434-11	9	CCW	3.01	1.18	1.70	1.002	1.97/2.360
25.00	4735-43434-19	9	CCW	3.01	1.18	1.70	2.562	3.500
25.00	4735-43434-20	9	CCW	3.01	1.18	1.70	2.000	3.500
25.00	4735-43434-21	9	CCW	3.01	1.18	1.70	3.687	4.625
25.00	4735-43434-22	9	CCW	3.01	1.18	1.70	5.001	6.000

FAN SPECS BY DIAMETER

25.00 – 26.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
25.00	4735-43434-23	9	CCW	3.01	1.18	1.70	4.921	5.750/6.00
25.00	4735-43434-24	9	CCW	3.01	1.18	1.70	3.250	3.810
25.00	4735-43434-25	9	CCW	3.01	1.18	1.70	1.614	2.500
25.00	4735-43480-10	9	CW	3.31-3.16	2.02	1.15	5.001	6.000
25.19	4735-41391-104	9	CW	3.50	0.54	2.96	4.921	5.750/6.00
25.19	4735-41392-104	9	CW	3.50	1.29	2.21	4.921	5.750/6.00
25.19	4735-41393-104	9	CW	3.50	2.04	1.46	4.921	5.750/6.00
25.19	4735-42621-104	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
25.19	4735-42622-104	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
25.19	4735-42623-104	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
25.20	4735-35828-171	7	CCW	2.72	1.42	1.30	5.001	6.000
25.20	4735-41134-51	8	CW	3.00	2.03	0.97	5.001	6.000
25.20	4735-41135-53	8	CW	3.00	1.28	1.72	5.001	6.000
25.20	4735-41393-113	9	CW	3.50	2.04	1.46	5.001	6.000
25.20	4735-42599-55	10	CCW	2.90	2.10	0.93	5.001	6.000
25.20	4735-42600-55	10	CW	2.90	2.10	0.93	5.001	6.000
25.50	4735-35828-109	7	CCW	2.72	1.42	1.30	5.001	6.000
25.50	4735-42600-76	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
25.59	4735-42599-32	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
25.59	4735-42599-33	10	CCW	2.90	2.10	0.93	5.001	6.000
25.59	4735-42599-52	10	CCW	2.90	2.10	0.93	2.562	3.500
25.59	4735-42600-32	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
25.59	4735-42600-33	10	CW	2.90	2.10	0.93	5.001	6.000
25.59	4735-42600-52	10	CW	2.90	2.10	0.93	2.562	3.500
25.59	4735-43368-63	9	CCW	3.31	1.32	1.83	5.001	6.000
25.60	4735-35828-127	7	CCW	2.72	1.42	1.30	2.562	3.500
25.60	4735-35828-137	7	CCW	2.72	1.42	1.30	2.562	3.500
25.60	4735-35828-187	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
25.60	4735-38617-60	6	CW	2.83	1.85	0.98	5.001	6.000
25.60	4735-41134-52	8	CW	3.00	2.03	0.97	5.001	6.000
25.67	4735-38164-100	8	CW	4.00	1.42	2.58	1.002	1.97/2.360
25.67	4735-41392-105	9	CW	3.50	1.29	2.21	1.002	1.97/2.360
25.67	4735-42621-105	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
25.67	4735-42622-105	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
25.67	4735-42623-105	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
25.98	4735-42600-92	10	CW	2.90	2.10	0.93	1.889	2.840
26.00	4035-38617-42	6	CW	2.83	1.85	0.98	2.562	3.500
26.00	4735-35480-20	6	CW	2.83	1.85	0.98	2.562	3.500
26.00	4735-35480-23	6	CW	2.83	1.85	0.98	2.000	3.500
26.00	4735-35480-36	6	CW	2.83	1.85	0.98	2.053	3.50/3.875
26.00	4735-35480-52	6	CW	2.83	1.85	0.98	3.687	4.625
26.00	4735-35480-55	6	CW	2.83	1.85	0.98	5.001	6.000
26.00	4735-35480-61	6	CW	2.83	1.85	0.98	4.921	5.750/6.00
26.00	4735-35480-62	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
26.00	4735-35480-94	6	CW	2.83	1.85	0.98	1.002	1.97/2.360
26.00	4735-35480-127	6	CW	2.83	1.85	0.98	1.889	2.840
26.00	4735-35828-14	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
26.00	4735-35828-15	7	CCW	2.72	1.42	1.30	2.562	3.500
26.00	4735-35828-45	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
26.00	4735-35828-93	7	CCW	2.72	1.42	1.30	3.250	3.810
26.00	4735-35828-94	7	CCW	2.72	1.42	1.30	5.001	6.000
26.00	4735-35828-105	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
26.00	4735-35828-120	7	CCW	2.72	1.42	1.30	1.263	2.750
26.00	4735-35828-131	7	CCW	2.72	1.42	1.30	4.488	5.197
26.00	4735-35828-140	7	CCW	2.72	1.42	1.30	3.687	4.625
26.00	4735-35828-152	7	CCW	2.72	1.42	1.30	1.889	2.840
26.00	4735-35828-181	7	CCW	2.72	1.42	1.30	1.614	2.500
26.00	4735-37494-15	8	CW	3.01	0.87	2.14	5.001	6.000
26.00	4735-37494-16	8	CW	3.01	0.87	2.14	7.001	8.440
26.00	4735-37494-18	8	CW	3.01	0.87	2.14	2.560	3.500
26.00	4735-37494-24	8	CW	3.01	0.87	2.14	2.000	3.50/3.875
26.00	4735-37494-29	8	CW	3.01	0.87	2.14	2.050	3.50/3.875
26.00	4735-37494-41	8	CW	3.01	0.87	2.14	1.002	1.97/2.360
26.00	4735-37494-56	8	CW	3.01	0.87	2.14	3.680	4.620
26.00	4735-38164-28	8	CW	4.00	1.42	2.58	1.002	1.97/2.360
26.00	4735-38164-36	8	CW	4.00	1.42	2.58	5.001	6.000
26.00	4735-38164-47	8	CW	4.00	1.42	2.58	2.562	3.500
26.00	4735-38164-49	8	CW	4.00	1.42	2.58	2.000	3.50/3.875
26.00	4735-38164-53	8	CW	4.00	1.42	2.58	4.000	4.478
26.00	4735-38617-19	6	CW	2.83	1.85	0.98	4.000	4.478
26.00	4735-38617-21	6	CW	2.83	1.85	0.98	5.001	6.000
26.00	4735-38825-40	6	CW	2.83	1.17	1.66	1.002	1.97/2.360

FAN SPECS BY DIAMETER

26.00 – 26.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
26.00	4735-38825-41	6	CW	2.83	1.17	1.66	2.000	3.50/3.875
26.00	4735-38825-43	6	CW	2.83	1.17	1.66	2.562	3.500
26.00	4735-38825-44	6	CW	2.83	1.17	1.66	3.250	3.810
26.00	4735-38825-47	6	CW	2.83	1.17	1.66	5.001	6.000
26.00	4735-38825-79	6	CW	2.83	1.17	1.66	3.858	4.724
26.00	4735-38825-82	6	CW	2.83	1.17	1.66	2.000	3.500
26.00	4735-38825-86	6	CW	2.83	1.17	1.66	1.500	Double
26.00	4735-41134-17	8	CW	3.00	2.03	0.97	1.002	1.97/2.360
26.00	4735-41134-19	8	CW	3.00	2.03	0.97	2.562	3.500
26.00	4735-41134-21	8	CW	3.00	2.03	0.97	5.001	6.000
26.00	4735-41135-30	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
26.00	4735-41135-31	8	CW	3.00	1.28	1.72	2.000	3.500
26.00	4735-41135-32	8	CW	3.00	1.28	1.72	2.562	3.500
26.00	4735-41135-33	8	CW	3.00	1.28	1.72	3.250	3.810
26.00	4735-41135-34	8	CW	3.00	1.28	1.72	5.001	6.000
26.00	4735-41135-64	8	CW	3.00	1.28	1.72	1.380	Double
26.00	4735-41296-02	7	CCW	4.00	2.10	1.90	2.187	3.000
26.00	4735-41296-08	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
26.00	4735-41296-10	7	CCW	4.00	2.10	1.90	2.000	3.500
26.00	4735-41296-21	7	CCW	4.00	2.10	1.90	1.614	2.500
26.00	4735-41296-99	7	CCW	4.00	2.10	1.90	1.500	Double
26.00	4735-41296-100	7	CCW	4.00	2.10	1.90	2.000	3.500
26.00	4735-41391-32	9	CW	3.50	0.54	2.96	2.562	3.500
26.00	4735-41391-33	9	CW	3.50	0.54	2.96	3.250	3.810
26.00	4735-41391-34	9	CW	3.50	0.54	2.96	5.001	6.000
26.00	4735-41391-110	9	CW	3.50	0.54	2.96	2.187	3.000
26.00	4735-41392-31	9	CW	3.50	1.29	2.21	2.000	3.500
26.00	4735-41392-32	9	CW	3.50	1.29	2.21	2.562	3.500
26.00	4735-41392-33	9	CW	3.50	1.29	2.21	3.250	3.810
26.00	4735-41392-34	9	CW	3.50	1.29	2.21	5.001	6.000
26.00	4735-41392-110	9	CW	3.50	1.29	2.21	2.187	3.000
26.00	4735-41393-30	9	CW	3.50	2.04	1.46	1.002	1.97/2.360
26.00	4735-41393-31	9	CW	3.50	2.04	1.46	2.000	3.500
26.00	4735-41393-32	9	CW	3.50	2.04	1.46	2.562	3.500
26.00	4735-41393-33	9	CW	3.50	2.04	1.46	3.250	3.810
26.00	4735-41393-34	9	CW	3.50	2.04	1.46	5.001	6.000
26.00	4735-41393-73	9	CW	3.50	2.04	1.46	4.000	4.478
26.00	4735-41393-106	9	CW	3.50	2.04	1.46	2.187	3.500
26.00	4735-41393-114	9	CW	3.50	2.04	1.46	3.750	4.500
26.00	4735-41495-08	9	CW	3.00	0.52	2.47	2.562	3.500
26.00	4735-41497-07	9	CW	3.00	2.02	0.97	5.001	6.000
26.00	4735-41497-08	9	CW	3.00	2.02	0.97	2.562	3.500
26.00	4735-41498-07	9	CW	3.00	1.27	1.72	5.001	6.000
26.00	4735-41498-08	9	CW	3.00	1.27	1.72	2.562	3.500
26.00	4735-41498-12	9	CW	2.97	1.27	—	4.000	4.478
26.00	4735-43782-15	9	CW	3.65	1.35	2.30	1.002	1.97/2.36
26.00	4735-43783-26	9	CW	3.65	2.10	1.55	1.002	1.97/2.36
26.00	4735-43783-25	9	CW	3.65	2.10	1.55	2.562	3.500
26.00	4735-43782-04	9	CW	3.65	1.35	2.30	2.562	3.500
26.00	473543782-17	9	CW	3.65	1.35	2.30	5.001	6.000
26.00	4735-43782-03	9	CW	3.65	1.35	2.30	5.001	6.000
26.00	4735-42137-21	8	CW	3.00	0.53	2.47	5.001	6.000
26.00	4735-42476-34	8	CW	3.00	1.28	1.72	5.001	6.000
26.00	4735-42578-21	8	CW	3.00	2.03	0.97	5.001	6.000
26.00	4735-42599-24	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
26.00	4735-42599-25	10	CCW	2.90	2.10	0.93	1.500	Double
26.00	4735-42599-26	10	CCW	2.90	2.10	0.93	1.614	2.500
26.00	4735-42599-27	10	CCW	2.90	2.10	0.93	2.000	3.50/3.875
26.00	4735-42599-28	10	CCW	2.90	2.10	0.93	2.562	3.500
26.00	4735-42599-30	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
26.00	4735-42599-31	10	CCW	2.90	2.10	0.93	5.001	6.000
26.00	4735-42599-67	10	CCW	2.90	2.10	0.93	4.488	5.197
26.00	4735-42599-70	10	CCW	2.90	2.10	0.93	2.000	3.500(4)
26.00	4735-42599-115	10	CCW	2.90	2.10	0.93	1.693	2.440
26.00	4735-42600-24	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
26.00	4735-42600-25	10	CW	2.90	2.10	0.93	1.500	Double
26.00	4735-42600-26	10	CW	2.90	2.10	0.93	1.614	2.500
26.00	4735-42600-27	10	CW	2.90	2.10	0.93	2.000	3.50/3.875
26.00	4735-42600-28	10	CW	2.90	2.10	0.93	2.562	3.500
26.00	4735-42600-30	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
26.00	4735-42600-31	10	CW	2.90	2.10	0.93	5.001	6.000
26.00	4735-42600-67	10	CW	2.90	2.10	0.93	4.488	5.197

FAN SPECS BY DIAMETER

26.00 – 26.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
26.00	4735-42600-70	10	CW	2.90	2.10	0.93	2.000	3.500
26.00	4735-42600-107	10	CW	2.90	2.10	0.93	3.250	3.810
26.00	4735-42600-119	10	CW	2.90	2.10	0.93	3.000	5.250
26.00	010021045	11	CW	3.72	1.57	2.15	7.000	8.436
26.00	4735-42621-30	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
26.00	4735-42621-31	9	CCW	3.60	0.54	2.96	2.000	3.500
26.00	4735-42621-32	9	CCW	3.60	0.54	2.96	2.562	3.500
26.00	4735-42621-33	9	CCW	3.60	0.54	2.96	3.250	3.810
26.00	4735-42621-34	9	CCW	3.60	0.54	2.96	5.001	6.000
26.00	4735-42621-106	9	CCW	3.60	0.54	2.96	2.187	3.500
26.00	4735-42622-30	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
26.00	4735-42622-31	9	CCW	3.60	1.29	2.21	2.000	3.500
26.00	4735-42622-32	9	CCW	3.60	1.29	2.21	2.562	3.500
26.00	4735-42622-33	9	CCW	3.60	1.29	2.21	3.250	3.800
26.00	4735-42622-34	9	CCW	3.60	1.29	2.21	5.001	6.000
26.00	4735-42622-61	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
26.00	4735-42622-73	9	CCW	3.60	1.29	2.21	4.000	4.478
26.00	4735-42622-106	9	CCW	3.60	1.29	2.21	2.187	3.500
26.00	4735-42623-30	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
26.00	4735-42623-31	9	CCW	3.60	2.04	1.46	2.000	3.500
26.00	4735-42623-32	9	CCW	3.60	2.04	1.46	2.562	3.500
26.00	4735-42623-33	9	CCW	3.60	2.04	1.46	3.250	3.810
26.00	4735-42623-34	9	CCW	3.60	2.04	1.46	5.001	6.000
26.00	4735-42623-73	9	CCW	3.60	2.04	1.46	4.000	4.478
26.00	4735-42623-106	9	CCW	3.60	2.04	1.46	2.187	3.500
26.00	4735-42904-15	8	CW	3.00	0.98	2.01	5.001	6.000
26.00	4735-42904-18	8	CW	3.00	0.98	2.01	2.562	3.500
26.00	4735-42904-24	8	CW	3.00	0.98	2.01	2.000	3.50/3.875
26.00	4735-42904-29	8	CW	3.00	0.98	2.01	2.053	3.50/3.875
26.00	4735-42904-41	8	CW	3.00	0.98	2.01	1.002	1.97/2.360
26.00	4735-43179-31	10	CW	—	—	—	5.001	6.000
26.00	4735-43217-01	9	CW	3.30-3.15	1.27	—	2.562	3.500
26.00	4735-43217-02	9	CW	3.30-3.15	1.27	—	2.000	3.500
26.00	4735-43217-03	9	CW	3.30-3.15	1.27	—	5.001	6.000
26.00	4735-43217-04	9	CW	3.30-3.15	1.27	—	1.002	1.97/2.360
26.00	4735-43217-05	9	CW	3.30-3.15	1.27	—	1.002	NO
26.00	4735-43217-06	9	CW	3.30-3.15	1.27	—	3.687	4.625
26.00	4735-43217-07	9	CW	3.30-3.15	1.27	—	4.921	5.750/6.00
26.00	4735-43217-17	9	CW	3.30-3.15	1.27	—	3.250	3.810
26.00	4735-43217-18	9	CW	3.30-3.15	1.27	—	1.614	2.500
26.00	4735-43329-08	9	CW	2.85	0.51	—	2.562	3.500
26.00	4735-43330-08	9	CW	2.85	1.26	—	2.562	3.500
26.00	4735-43330-12	9	CW	2.85	1.26	1.72	—	—
26.00	4735-43331-07	9	CW	2.85	2.01	—	5.001	6.000
26.00	4735-43331-08	9	CW	2.85	2.01	—	2.562	3.500
26.00	4735-43340-34	9	—	3.6	1.45	—	5.001	6.000
26.00	4735-43368-01	9	CCW	3.31	1.32	1.83	2.562	3.500
26.00	4735-43368-02	9	CCW	3.31	1.32	1.83	2.000	3.500
26.00	4735-43368-03	9	CCW	3.31	1.32	1.83	5.001	6.000
26.00	4735-43368-04	9	CCW	3.31	1.32	1.83	1.002	1.97/2.360
26.00	4735-43368-05	9	CCW	3.31	1.32	1.83	1.002	None
26.00	4735-43368-06	9	CCW	3.31	1.32	1.83	3.687	4.625
26.00	4735-43368-07	9	CCW	3.31	1.32	1.83	4.921	5.750/6.00
26.00	4735-43368-17	9	CCW	3.31	1.32	1.83	3.250	3.810
26.00	4735-43368-18	9	CCW	3.31	1.32	1.83	1.614	2.500
26.00	4735-43368-64	9	CCW	3.31	1.32	1.83	1.500	2.50/2.875
26.00	4735-43400-01	9	CW	3.01	1.18	1.70	2.562	3.500
26.00	4735-43400-02	9	CW	3.01	1.18	1.70	2.000	3.500
26.00	4735-43400-03	9	CW	3.01	1.18	1.70	5.001	6.000
26.00	4735-43400-04	9	CW	3.01	1.18	1.70	1.002	1.97/2.360
26.00	4735-43400-05	9	CW	3.01	1.18	1.70	1.002	None
26.00	4735-43400-06	9	CW	3.01	1.18	1.70	3.687	4.625
26.00	4735-43400-07	9	CW	3.01	1.18	1.70	4.921	5.750/6.00
26.00	4735-43400-17	9	CW	3.01	1.18	1.70	3.250	3.810
26.00	4735-43400-18	9	CW	3.01	1.18	1.70	1.614	2.500
26.00	4735-43434-01	9	CCW	3.01	1.18	1.70	2.562	3.500
26.00	4735-43434-02	9	CCW	3.01	1.18	1.70	2.000	3.500
26.00	4735-43434-03	9	CCW	3.01	1.18	1.70	5.001	6.000
26.00	4735-43434-04	9	CCW	3.01	1.18	1.70	1.002	1.97/2.360
26.00	4735-43434-05	9	CCW	3.01	1.18	1.70	1.002	None
26.00	4735-43434-06	9	CCW	3.01	1.18	1.70	3.687	4.625
26.00	4735-43434-07	9	CCW	3.01	1.18	1.70	4.921	5.750/6.00

FAN SPECS BY DIAMETER

26.00 – 27.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
26.00	4735-43434-17	9	CCW	3.01	1.18	1.70	3.250	3.810
26.00	4735-43434-18	9	CCW	3.01	1.18	1.70	1.614	2.500
26.00	4735-43439-16	8	CW	3.17	1.27	—	7.001	8.440
26.00	4735-43440-25	9	CW	3.79	1.50	2.18	2.562	3.500
26.00	4735-43440-26	9	CW	3.79	1.50	2.18	2.000	3.500
26.00	4735-43440-27	9	CW	3.79	1.50	2.18	5.001	6.000
26.00	4735-43440-28	9	CW	3.79	1.50	2.18	1.002	1.97/2.360
26.00	4735-43480-01	9	CW	3.31-3.16	2.02	1.15	2.562	3.500
26.00	4735-43480-02	9	CW	3.31-3.16	2.02	1.15	2.000	3.500
26.00	4735-43480-03	9	CW	3.31-3.16	2.02	1.15	5.001	6.000
26.00	4735-43480-04	9	CW	3.31-3.16	2.02	1.15	1.002	1.97/2.360
26.00	4735-43480-05	9	CW	3.31-3.16	2.02	1.15	1.002	None
26.00	4735-43480-29	9	CW	3.31-3.16	2.02	1.15	5.001	6.000
26.00	4735-43480-30	9	CW	3.31-3.16	2.02	1.15	3.250	3.810
26.00	4735-43782-05	9	CW	3.65	1.35	2.3	2.562	3.500
26.00	4735-43783-03	9	CW	3.65	2.10	1.55	5.001	6.000
26.00	4735-43783-04	9	CW	3.65	2.10	1.55	2.562	3.500
26.00	4735-43783-07	9	CW	3.65	2.10	1.55	5.001	6.000
26.00	4735-43783-08	9	CW	3.65	2.10	1.55	2.562	3.500
26.00	4735-43783-10	9	CW	3.65	2.10	1.55	5.001	6.000
26.00	4735-43480-32	9	CW	3.31-3.16	2.02	1.15	2.562	3.500
26.00	4735-43480-33	9	CW	3.31-3.16	2.02	1.15	5.001	6.000
26.30	4735-41134-50	8	CW	3.00	2.03	0.97	5.001	6.000
26.50	4735-41393-68	9	CW	3.50	2.04	1.46	2.000	3.500
26.50	4735-42621-68	9	CCW	3.60	0.54	2.96	2.000	3.500
26.50	4735-42622-68	9	CCW	3.60	1.29	2.21	2.000	3.500
26.50	4735-42622-115	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
26.50	4735-42623-68	9	CCW	3.60	2.04	1.46	2.000	3.500
26.71	4735-41393-97	9	CW	3.60	2.04	1.46	2.000	3.500
26.71	4735-42621-97	9	CCW	3.60	0.54	2.96	2.000	3.500
26.71	4735-42623-97	9	CCW	3.60	2.04	1.46	2.000	3.500
26.75	4735-38164-92	8	CW	4.00	1.42	2.58	2.562	3.500
26.75	4735-41391-65	9	CW	3.50	0.54	2.96	4.000	4.478
26.75	4735-41392-65	9	CW	3.50	1.29	2.21	4.000	4.478
26.75	4735-41392-103	9	CW	3.50	1.29	2.21	2.562	3.500
26.75	4735-41392-112	9	CW	3.50	1.29	2.21	5.001	6.000
26.75	4735-41393-65	9	CW	3.50	2.04	1.46	4.000	4.478
26.75	4735-42621-103	9	CCW	3.60	0.54	2.96	2.562	3.500
26.75	4735-42622-65	9	CCW	3.60	1.29	2.21	4.000	4.478
26.75	4735-42622-103	9	CCW	3.60	1.29	2.21	2.562	3.500
26.75	4735-42623-65	9	CCW	3.60	2.04	1.46	4.000	4.478
26.75	4735-42623-103	9	CCW	3.60	2.04	1.46	2.562	3.500
26.77	4735-35480-129	6	CW	2.83	1.85	0.98	4.921	5.750/6.00
26.77	4735-42599-53	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
26.77	4735-42600-53	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
26.77	4735-42622-97	9	CCW	3.60	1.29	2.21	2.000	3.500
26.77	4735-42578-45	8	CW	3.00	2.03	0.97	5.001	6.000
26.77	4735-43782-20	9	CW	3.65	1.35	2.30	2.562	3.500
27.00	4735-35480-113	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
27.00	4735-35828-179	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
27.00	4735-38164-77	8	CW	4.00	1.42	2.58	5.001	6.000
27.00	4735-38164-79	8	CW	4.00	1.42	2.58	2.562	3.500
27.00	4735-41134-71	8	CW	3.00	2.03	0.97	2.562	3.500
27.00	4735-41134-72	8	CW	3.00	2.03	0.97	1.693	2.440
27.00	4735-41135-25	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
27.00	4735-41135-26	8	CW	3.00	1.28	1.72	2.000	3.500
27.00	4735-41135-27	8	CW	3.00	1.28	1.72	2.562	3.500
27.00	4735-41135-28	8	CW	3.00	1.28	1.72	3.250	3.810
27.00	4735-41135-29	8	CW	3.00	1.28	1.72	5.001	6.000
27.00	4735-41296-103	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
27.00	4735-41296-106	7	CCW	4.00	2.10	1.90	2.000	3.500
27.00	4735-41391-29	9	CW	3.50	0.54	2.96	5.001	6.000
27.00	4735-41392-25	9	CW	3.50	1.29	2.21	1.002	1.97/2.36
27.00	4735-41392-26	9	CW	3.50	1.29	2.21	2.000	3.50/3.875
27.00	4735-41392-27	9	CW	3.50	1.29	2.21	2.562	3.500
27.00	4735-41392-29	9	CW	3.50	1.29	2.21	5.001	6.000
27.00	4735-41392-74	9	CW	3.50	1.29	2.21	4.000	4.478
27.00	4735-41393-27	9	CW	3.50	2.04	1.46	2.562	3.500
27.00	4735-41393-28	9	CW	3.50	2.04	1.46	3.250	3.810
27.00	4735-41393-29	9	CW	3.50	2.04	1.46	5.001	6.000
27.00	4735-41393-74	9	CW	3.50	2.04	1.46	4.000	4.478
27.00	4735-42599-96	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360

FAN SPECS BY DIAMETER

27.00 – 28.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
27.00	4735-42600-59	10	CW	2.90	2.10	0.93	4.000	4.478
27.00	4735-42600-118	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
27.00	4735-42621-25	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
27.00	4735-42621-26	9	CCW	3.60	0.54	2.96	2.000	3.500
27.00	4735-42621-27	9	CCW	3.60	0.54	2.96	2.562	3.500
27.00	4735-42621-28	9	CCW	3.60	0.54	2.96	3.250	3.810
27.00	4735-42621-29	9	CCW	3.60	0.54	2.96	5.001	6.000
27.00	4735-42622-25	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
27.00	4735-42622-26	9	CCW	3.60	1.29	2.21	2.000	3.500
27.00	4735-42622-27	9	CCW	3.60	1.29	2.21	2.562	3.500
27.00	4735-42622-28	9	CCW	3.60	1.29	2.21	3.250	3.800
27.00	4735-42622-29	9	CCW	3.60	1.29	2.21	5.001	6.000
27.00	4735-42622-74	9	CCW	3.60	1.29	2.21	4.000	4.478
27.00	4735-42623-25	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
27.00	4735-42623-26	9	CCW	3.60	2.04	1.46	2.000	3.500
27.00	4735-42623-27	9	CCW	3.60	2.04	1.46	2.562	3.500
27.00	4735-42623-28	9	CCW	3.60	2.04	1.46	3.250	3.810
27.00	4735-42623-29	9	CCW	3.60	2.04	1.46	5.001	6.000
27.00	4735-42623-74	9	CCW	3.60	2.04	1.46	4.000	4.478
27.00	4735-43439-69	8	CW	3.17	1.27	—	7.001	8.440
27.00	4735-43440-21	9	CW	3.79	1.50	2.18	2.562	3.500
27.00	4735-43440-22	9	CW	3.79	1.50	2.18	2.000	3.500
27.00	4735-43440-23	9	CW	3.79	1.50	2.18	5.001	6.000
27.00	4735-43440-24	9	CW	3.79	1.50	2.18	1.002	1.97/2.360
27.00	4735-43782-11	9	CW	3.65	1.35	2.3	2.562	3.500
27.00	4735-43783-13	9	CW	3.65	2.10	1.55	2.562	3.500
27.00	4735-43782-14	9	CW	3.65	1.35	2.30	2.000	3.500
27.16	4735-42904-76	8	CW	3.00	0.98	2.01	4.921	5.750/6.00
27.16	4735-42904-91	8	CW	3.00	0.98	2.01	4.921	5.750/6.00
27.17	4735-41135-65	8	CW	3.00	1.28	1.72	4.260	5.039
27.25	4735-35480-31	6	CW	2.83	1.85	0.98	2.562	3.500
27.25	4735-37494-27	8	CW	3.01	0.87	2.14	2.560	3.500
27.25	4735-42904-27	8	CW	3.00	0.98	2.01	2.562	3.500
27.50	4735-38164-87	8	CW	4.00	1.42	2.58	2.562	3.500
27.50	4735-41296-128	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
27.50	4735-41296-138	7	CCW	4.00	2.10	1.90	2.000	3.500
27.50	4735-41391-93	9	CW	3.50	0.54	2.96	4.921	5.750/6.00
27.50	4735-41393-58	9	CW	3.50	2.04	1.46	5.001	6.000
27.50	4735-41393-90	9	CW	3.50	2.04	1.46	5.001	6.000
27.50	4735-41393-93	9	CW	3.50	2.04	1.46	4.921	5.750/6.00
27.50	4735-42599-71	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
27.50	4735-42600-71	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
27.50	4735-42621-90	9	CCW	3.60	0.54	2.96	5.001	6.000
27.50	4735-42621-93	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
27.50	4735-42622-90	9	CCW	3.60	1.29	2.21	5.001	6.000
27.50	4735-42622-93	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
27.50	4735-42623-90	9	CCW	3.60	2.04	1.46	5.001	6.000
27.50	4735-42623-93	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
27.56	4735-35828-170	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
27.56	4735-35828-176	7	CCW	2.72	1.42	1.30	4.488	5.197
27.56	4735-41134-55	8	CW	3.00	2.03	0.97	5.001	6.000
27.56	4735-41135-55	8	CW	3.00	1.28	1.72	5.001	6.000
27.56	4735-41135-59	8	CW	3.00	1.28	1.72	4.921	5.750/6.00
27.56	4735-41135-67	8	CW	3.00	1.28	1.72	4.260	5.039
27.56	4735-41296-131	7	CCW	4.00	2.10	1.90	2.000	3.500
27.56	4735-41391-90	9	CW	3.50	0.54	2.96	5.001	6.000
27.56	4735-41392-90	9	CW	3.50	1.29	2.21	5.001	6.000
27.56	4735-41393-115	9	CW	3.50	2.04	1.46	5.001	6.000
27.56	4735-42599-22	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
27.56	4735-42599-23	10	CCW	2.90	2.10	0.93	5.001	6.000
27.56	4735-42600-22	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
27.56	4735-42600-23	10	CW	2.90	2.10	0.93	5.001	6.000
27.56	4735-42622-118	9	CCW	3.60	1.29	2.21	2.000	3.500
27.56	4735-43440-30	9	CW	3.79	1.50	2.18	1.614	2.500
27.56	4735-43783-20	9	CW	3.65	2.10	1.55	5.001	6.000
27.60	4735-42622-108	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
27.95	4735-42599-63	10	CCW	2.90	2.10	0.93	2.000	3.500
27.95	4735-42600-63	10	CW	2.90	2.10	0.93	2.000	3.500
27.95	4735-42904-105	8	CW	3.00	0.98	2.01	4.921	5.750/6.00
28.00	4735-35480-07	6	CW	2.83	1.85	0.98	5.001	6.000
28.00	4735-35480-10	6	CW	2.83	1.85	0.98	2.562	3.500
28.00	4735-35480-13	6	CW	2.83	1.85	0.98	4.921	5.750/6.00

FAN SPECS BY DIAMETER

28.00 – 28.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
28.00	4735-35480-18	6	CW	2.83	1.85	0.98	2.000	3.500
28.00	4735-35480-28	6	CW	2.83	1.85	0.98	2.053	3.50/3.875
28.00	4735-35480-30	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
28.00	4735-35480-37	6	CW	2.83	1.85	0.98	3.687	4.625
28.00	4735-35828-12	7	CCW	2.72	1.42	1.30	2.562	3.500
28.00	4735-35828-17	7	CCW	2.72	1.42	1.30	5.001	6.000
28.00	4735-35828-23	7	CCW	2.72	1.42	1.30	4.501	5.500
28.00	4735-35828-27	7	CCW	2.72	1.42	1.30	3.687	4.625
28.00	4735-35828-36	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
28.00	4735-35828-53	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
28.00	4735-35828-95	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
28.00	4735-35828-166	7	CCW	2.72	1.42	1.30	3.858	4.724
28.00	4735-37494-05	8	CW	3.01	0.87	2.14	7.000	8.440
28.00	4735-37494-06	8	CW	3.01	0.87	2.14	2.000	3.50/3.875
28.00	4735-37494-09	8	CW	3.01	0.87	2.14	2.560	3.500
28.00	4735-37494-14	8	CW	3.01	0.87	2.14	2.050	3.50/3.875
28.00	4735-37494-28	8	CW	3.01	0.87	2.14	5.001	6.000
28.00	4735-37494-42	8	CW	3.01	0.87	2.14	1.002	1.97/2.36
28.00	4735-37494-57	8	CW	3.01	0.87	2.14	3.680	4.620
28.00	4735-38164-11	8	CW	4.00	1.42	2.58	2.000	3.50/3.875
28.00	4735-38164-12	8	CW	4.00	1.42	2.58	2.562	3.500
28.00	4735-38164-14	8	CW	4.00	1.42	2.58	5.001	6.000
28.00	4735-38164-20	8	CW	4.00	1.42	2.58	2.053	3.50/3.875
28.00	4735-38164-29	8	CW	4.00	1.42	2.58	1.002	1.97/2.360
28.00	4735-38164-34	8	CW	4.00	1.42	2.58	3.687	4.625
28.00	4735-38164-48	8	CW	4.00	1.42	2.58	2.000	3.500
28.00	4735-38585-07	8	CW	4.00	1.42	2.58	7.001	8.440
28.00	4735-38617-23	6	CW	2.83	1.85	0.98	5.001	6.000
28.00	4735-38617-24	6	CW	2.83	1.85	0.98	2.562	3.500
28.00	4735-38617-53	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
28.00	4735-38825-10	6	CW	2.83	1.17	1.66	5.001	6.000
28.00	4735-38825-11	6	CW	2.83	1.17	1.66	2.562	3.500
28.00	4735-38825-51	6	CW	2.83	1.17	1.66	1.002	1.97/2.360
28.00	4735-38825-52	6	CW	2.83	1.17	1.66	2.000	3.50/3.875
28.00	4735-38825-53	6	CW	2.83	1.17	1.66	2.053	3.50/3.875
28.00	4735-38825-56	6	CW	2.83	1.17	1.66	4.000	4.478
28.00	4735-38825-83	6	CW	2.83	1.17	1.66	2.000	3.500
28.00	4735-41134-05	8	CW	3.00	2.03	0.97	2.562	3.500
28.00	4735-41134-06	8	CW	3.00	2.03	0.97	2.000	3.500
28.00	4735-41134-24	8	CW	3.00	2.03	0.97	5.001	6.000
28.00	4735-41134-56	8	CW	3.00	2.03	0.97	4.000	4.478
28.00	4735-41135-05	8	CW	3.00	1.28	1.72	2.562	3.500
28.00	4735-41135-21	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
28.00	4735-41135-22	8	CW	3.00	1.28	1.72	2.000	3.500
28.00	4735-41135-23	8	CW	3.00	1.28	1.72	3.250	3.810
28.00	4735-41135-24	8	CW	3.00	1.28	1.72	5.001	6.000
28.00	4735-41296-01	7	CCW	4.00	2.10	1.90	2.187	3.000
28.00	4735-41296-05	7	CCW	4.00	2.10	1.90	2.000	3.500
28.00	4735-41296-09	7	CCW	4.00	2.10	1.90	1.002	1.97/2.360
28.00	4735-41296-112	7	CCW	4.00	2.10	1.90	2.562	3.500
28.00	4735-41296-114	7	CCW	4.00	2.10	1.90	4.000	4.478
28.00	4735-41391-05	9	CW	3.50	0.54	2.96	2.562	3.500
28.00	4735-41391-21	9	CW	3.50	0.54	2.96	1.002	1.97/2.360
28.00	4735-41391-22	9	CW	3.50	0.54	2.96	2.000	3.500
28.00	4735-41391-24	9	CW	3.50	0.54	2.96	5.001	6.000
28.00	4735-41391-64	9	CW	3.50	0.54	2.96	4.000	4.478
28.00	4735-41392-05	9	CW	3.50	1.29	2.21	2.562	3.500
28.00	4735-41392-21	9	CW	3.50	1.29	2.21	1.002	1.97/2.360
28.00	4735-41392-22	9	CW	3.50	1.29	2.21	2.000	3.500
28.00	4735-41392-24	9	CW	3.50	1.29	2.21	5.001	6.000
28.00	4735-41392-64	9	CW	3.50	1.29	2.21	4.000	4.478
28.00	4735-41392-81	9	CW	3.50	1.29	2.21	2.053	3.50/3.875
28.00	4735-41393-05	9	CW	3.50	2.04	1.46	2.562	3.500
28.00	4735-41393-21	9	CW	3.50	2.04	1.46	1.002	1.97/2.360
28.00	4735-41393-22	9	CW	3.50	2.04	1.46	2.000	3.500
28.00	4735-41393-24	9	CW	3.50	2.04	1.46	5.001	6.000
28.00	4735-41393-64	9	CW	3.50	2.04	1.46	4.000	4.478
28.00	4735-41393-81	9	CW	3.50	2.04	1.46	2.053	3.50/3.875
28.00	4735-41393-96	9	CW	3.50	2.04	1.46	4.921	5.750/6.00
28.00	4735-42622-119	9	CCW	3.60	1.29	2.21	3.743	4.700
28.00	4735-42622-120	9	CCW	3.60	1.29	2.21	1.500	2.600
28.00	4735-42599-14	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360

FAN SPECS BY DIAMETER

28.00 – 28.35

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
28.00	4735-42599-15	10	CCW	2.90	2.10	0.93	1.500	Double
28.00	4735-42599-16	10	CCW	2.90	2.10	0.93	1.614	2.500
28.00	4735-42599-17	10	CCW	2.90	2.10	0.93	2.000	3.50/3.875
28.00	4735-42599-18	10	CCW	2.90	2.10	0.93	2.562	3.500
28.00	4735-42599-20	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
28.00	4735-42599-21	10	CCW	2.90	2.10	0.93	5.001	6.000
28.00	4735-42600-13	10	CW	2.90	2.10	0.93	5.001	6.000
28.00	4735-42600-14	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
28.00	4735-42600-15	10	CW	2.90	2.10	0.93	1.500	Double
28.00	4735-42600-16	10	CW	2.90	2.10	0.93	1.614	2.500
28.00	4735-42600-17	10	CW	2.90	2.10	0.93	2.000	3.50/3.875
28.00	4735-42600-18	10	CW	2.90	2.10	0.93	2.562	3.500
28.00	4735-42600-19	10	CW	2.90	2.10	0.93	4.000	4.478
28.00	4735-42600-20	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
28.00	4735-42600-21	10	CW	2.90	2.10	0.93	5.001	6.000
28.00	4735-42621-05	9	CCW	3.60	0.54	2.96	2.562	3.500
28.00	4735-42621-21	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
28.00	4735-42621-22	9	CCW	3.60	0.54	2.96	2.000	3.500
28.00	4735-42621-23	9	CCW	3.60	0.54	2.96	3.250	3.810
28.00	4735-42621-24	9	CCW	3.60	0.54	2.96	5.001	6.000
28.00	4735-42621-81	9	CCW	3.60	0.54	2.96	2.053	3.50/3.875
28.00	4735-42621-96	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
28.00	4735-42622-05	9	CCW	3.60	1.29	2.21	2.562	3.500
28.00	4735-42622-21	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
28.00	4735-42622-22	9	CCW	3.60	1.29	2.21	2.000	3.500
28.00	4735-42622-23	9	CCW	3.60	1.29	2.21	3.250	3.810
28.00	4735-42622-24	9	CCW	3.60	1.29	2.21	5.001	6.000
28.00	4735-42622-64	9	CCW	3.60	1.29	2.21	4.000	4.478
28.00	4735-42622-81	9	CCW	3.60	1.29	2.21	2.053	3.50/3.875
28.00	4735-42622-96	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
28.00	4735-42622-110	9	CCW	3.60	1.29	2.21	2.187	3.000
28.00	4735-42623-05	9	CCW	3.60	2.04	1.46	2.562	3.500
28.00	4735-42623-21	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
28.00	4735-42623-22	9	CCW	3.60	2.04	1.46	2.000	3.500
28.00	4735-42623-23	9	CCW	3.60	2.04	1.46	3.250	3.810
28.00	4735-42623-24	9	CCW	3.60	2.04	1.46	5.001	6.000
28.00	4735-42623-64	9	CCW	3.60	2.04	1.46	4.000	4.478
28.00	4735-42623-81	9	CCW	3.60	2.04	1.46	2.053	3.50/3.875
28.00	4735-42623-96	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
28.00	4735-42904-06	8	CW	3.00	0.98	2.01	2.000	3.50/3.875
28.00	4735-42904-09	8	CW	3.00	0.98	2.01	2.562	3.500
28.00	4735-42904-14	8	CW	3.00	0.98	2.01	2.053	3.50/3.875
28.00	4735-42904-28	8	CW	3.00	0.98	2.01	5.001	6.000
28.00	4735-42904-42	8	CW	3.00	0.98	2.01	1.002	1.97/2.360
28.00	4735-43439-05	8	CW	3.17	1.27	—	7.001	8.440
28.00	4735-43440-17	9	CW	3.79	1.50	2.18	2.562	3.500
28.00	4735-43440-18	9	CW	3.79	1.50	2.18	2.000	3.500
28.00	4735-43440-19	9	CW	3.79	1.50	2.18	5.001	6.000
28.00	4735-43440-20	9	CW	3.79	1.50	2.18	1.002	1.97/2.360
28.00	4735-43783-01	9	CW	3.65	2.10	1.55	5.001	6.000
28.00	4735-43783-02	9	CW	3.65	2.10	1.55	2.562	3.500
28.00	4735-43783-05	9	CW	3.65	2.10	1.55	5.001	6.000
28.00	4735-43783-06	9	CW	3.65	2.10	1.55	2.562	3.500
28.00	4735-43783-17	9	CW	3.65	2.10	1.55	2.000	3.500
28.00	010019804	9	CW	3.65	1.06	2.59	2.562	3.500
28.00	4735-43782-02	9	CW	3.65	1.35	2.30	2.562	3.500
28.00	010020423	9	CW	3.65	1.15	2.50	5.001	6.000
28.00	010020425	9	CW	3.65	1.15	2.50	5.001	6.000
28.00	010021062	11	CW	3.72	1.60	2.12	2.562	3.500
28.00	010016876	11	CW	3.72	1.57	2.15	7.001	8.436
28.00	4735-44002-08	11	CW	3.72	1.57	2.15	7.001	8.436
28.25	4735-37494-26	8	CW	3.01	0.87	2.14	2.560	3.500
28.30	4735-35828-136	7	CCW	2.72	1.42	1.30	2.562	3.500
28.34	4735-42622-114	9	CCW	3.60	1.29	2.21	2.562	3.500
28.35	4735-41135-58	8	CW	3.00	1.28	1.72	4.921	5.750/6.00
28.35	4735-41135-72	8	CW	3.00	1.28	1.72	2.562	3.500
28.35	4735-42476-71	8	CW	3.00	1.28	1.72	5.001	6.000
28.35	4735-42599-11	10	CCW	2.90	2.10	0.93	2.562	3.500
28.35	4735-42599-13	10	CCW	2.90	2.10	0.93	5.001	6.000
28.35	4735-42600-11	10	CW	2.90	2.10	0.93	2.562	3.500
28.35	4735-42622-89	9	CCW	3.60	1.29	2.21	4.000	4.478
28.35	4735-42623-89	9	CCW	3.60	2.04	1.46	4.000	4.478

FAN SPECS BY DIAMETER

28.43 – 29.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
28.43	4735-41392-114	9	CW	3.50	1.29	2.21	5.000	6.000
28.50	4735-41392-60	9	CW	3.50	1.29	2.21	2.000	3.500
28.50	4735-41392-95	9	CW	3.50	1.29	2.21	2.560	3.500
28.50	4735-41393-61	9	CW	3.50	2.04	1.46	2.562	3.500
28.50	4735-41495-01	9	CW	3.00	0.52	2.47	2.562	3.500
28.50	4735-41495-03	9	CW	3.00	0.52	2.47	5.001	6.000
28.50	4735-41497-01	9	CW	3.00	2.02	0.97	2.562	3.500
28.50	4735-41497-03	9	CW	3.00	2.02	0.97	5.001	6.000
28.50	4735-41497-11	9	CW	3.00	2.02	0.97	4.000	4.478
28.50	4735-41498-01	9	CW	3.00	1.27	1.72	2.562	3.500
28.50	4735-41498-11	9	CW	2.98	1.27	—	4.000	4.478
28.50	4735-42112-61	9	CW	3.13	1.29	2.08	2.562	3.500
28.50	4735-42113-61	9	CW	3.13	2.04	1.33	2.562	3.500
28.50	4735-42113-63	9	CW	3.13	2.04	1.33	5.001	6.000
28.50	4735-42621-59	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
28.50	4735-42621-60	9	CCW	3.60	0.54	2.96	2.000	3.500
28.50	4735-42621-61	9	CCW	3.60	0.54	2.96	2.562	3.500
28.50	4735-42621-62	9	CCW	3.60	0.54	2.96	3.250	3.810
28.50	4735-42621-63	9	CCW	3.60	0.54	2.96	5.001	6.000
28.50	4735-42622-59	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
28.50	4735-42622-60	9	CCW	3.60	1.29	2.21	2.000	3.500
28.50	4735-42622-62	9	CCW	3.60	1.29	2.21	3.250	3.800
28.50	4735-42622-63	9	CCW	3.60	1.29	2.21	5.001	6.000
28.50	4735-42623-59	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
28.50	4735-42623-60	9	CCW	3.60	2.04	1.46	2.000	3.500
28.50	4735-42623-61	9	CCW	3.60	2.04	1.46	2.562	3.500
28.50	4735-42623-62	9	CCW	3.60	2.04	1.46	3.250	3.810
28.50	4735-42623-63	9	CCW	3.60	2.04	1.46	5.001	6.010
28.50	4735-42904-95	8	CW	3.00	0.98	2.01	2.053	3.50/3.875
28.50	4735-42957-01	9	CW	2.99	—	—	2.562	3.500
28.50	4735-43329-01	9	CW	2.85	0.51	—	2.562	3.500
28.50	4735-43329-03	9	CW	2.85	0.51	—	5.001	6.000
28.50	4735-43330-01	9	CW	2.85	1.26	—	2.562	3.500
28.50	4735-43330-02	9	CW	2.85	1.26	—	2.000	3.500
28.50	4735-43330-11	9	CW	2.85	1.26	1.72	4.000	4.478
28.50	4735-43331-01	9	CW	2.85	2.01	—	2.562	3.500
28.50	4735-43331-03	9	CW	2.85	2.01	—	5.001	6.000
28.50	4735-43331-11	9	CW	2.85	2.01	—	4.000	4.478
28.53	4735-42599-12	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
28.53	4735-42600-12	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
28.54	4735-42599-84	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
28.63	4735-41135-73	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
28.94	4735-35828-190	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
29.00	4735-37494-70	8	CW	3.01	0.87	2.14	2.560	3.500
29.00	4735-37494-74	8	CW	3.01	0.87	2.14	2.000	3.50/3.875
29.00	4735-37494-79	8	CW	3.01	0.87	2.14	5.001	6.000
29.00	4735-38164-76	8	CW	4.00	1.42	2.58	2.562	3.500
29.00	4735-38825-74	6	CW	2.83	1.17	1.66	2.562	3.500
29.00	4735-38825-77	6	CW	2.83	1.17	1.66	5.001	6.000
29.00	4735-41135-03	8	CW	3.00	1.28	1.72	2.000	3.500
29.00	4735-41135-04	8	CW	3.00	1.28	1.72	2.562	3.500
29.00	4735-41135-17	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
29.00	4735-41135-19	8	CW	3.00	1.28	1.72	3.250	3.810
29.00	4735-41135-20	8	CW	3.00	1.28	1.72	5.001	6.000
29.00	4735-41135-50	8	CW	3.00	1.28	1.72	5.250	6.000
29.00	4735-41391-04	9	CW	3.50	0.54	2.96	2.562	3.500
29.00	4735-41391-20	9	CW	3.50	0.54	2.96	5.001	6.000
29.00	4735-41392-04	9	CW	3.50	1.29	2.21	2.562	3.500
29.00	4735-41392-20	9	CW	3.50	1.29	2.21	5.001	6.000
29.00	4735-41393-03	9	CW	3.50	2.04	1.46	2.000	3.500
29.00	4735-41393-04	9	CW	3.50	2.04	1.46	2.562	3.500
29.00	4735-41393-20	9	CW	3.50	2.04	1.46	5.001	6.000
29.00	4735-41393-95	9	CW	3.50	2.04	1.46	2.187	3.000
29.00	4735-42113-04	9	CW	3.13	2.04	1.33	2.562	3.500
29.00	4735-42599-56	10	CCW	2.90	2.10	0.93	2.562	3.500
29.00	4735-42599-57	10	CCW	2.90	2.10	0.93	5.001	6.000
29.00	4735-42600-56	10	CW	2.90	2.10	0.93	2.562	3.500
29.00	4735-42600-57	10	CW	2.90	2.10	0.93	5.001	6.000
29.00	4735-42600-99	10	CW	2.90	2.10	0.93	2.000	3.500
29.00	4735-42621-03	9	CCW	3.60	0.54	2.96	2.000	3.500
29.00	4735-42621-04	9	CCW	3.60	0.54	2.96	2.562	3.500
29.00	4735-42621-17	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360

FAN SPECS BY DIAMETER

29.00 – 30.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
29.00	4735-42621-19	9	CCW	3.60	0.54	2.96	3.250	3.810
29.00	4735-42621-20	9	CCW	3.60	0.54	2.96	5.001	6.000
29.00	4735-42622-03	9	CCW	3.60	1.29	2.21	2.000	3.500
29.00	4735-42622-04	9	CCW	3.60	1.29	2.21	2.562	3.500
29.00	4735-42622-17	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
29.00	4735-42622-19	9	CCW	3.60	1.29	2.21	3.250	3.810
29.00	4735-42622-20	9	CCW	3.60	1.29	2.21	5.001	6.000
29.00	4735-42622-75	9	CCW	3.60	1.29	2.21	4.000	4.478
29.00	4735-42623-03	9	CCW	3.60	2.04	1.46	2.000	3.500
29.00	4735-42623-04	9	CCW	3.60	2.04	1.46	2.562	3.500
29.00	4735-42623-17	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
29.00	4735-42623-19	9	CCW	3.60	2.04	1.46	3.250	3.810
29.00	4735-42623-20	9	CCW	3.60	2.04	1.46	5.001	6.000
29.00	4735-42623-75	9	CCW	3.60	2.04	1.46	4.000	4.478
29.00	4735-42904-70	8	CW	3.00	0.98	2.01	2.562	3.500
29.00	4735-42904-102	8	CW	3.00	0.98	2.01	5.001	2.000
29.00	4735-43440-13	9	CW	3.79	1.50	2.18	2.562	3.500
29.00	4735-43440-14	9	CW	3.79	1.50	2.18	2.000	3.500
29.00	4735-43440-15	9	CW	3.79	1.50	2.18	5.001	6.000
29.00	4735-43440-16	9	CW	3.79	1.50	2.18	1.002	1.97/2.360
29.13	4735-42599-64	10	CCW	2.90	2.10	0.93	2.000	3.500
29.13	4735-42600-64	10	CW	2.90	2.10	0.93	2.000	3.500
29.50	4735-35480-26	6	CW	2.83	1.85	0.98	5.001	6.000
29.50	4735-35480-118	6	CW	2.83	1.85	0.98	4.921	5.750/6.00
29.50	4735-41134-49	8	CW	3.00	2.03	0.97	5.001	6.000
29.50	4735-41134-69	8	CW	3.00	2.03	0.97	2.000	3.500
29.50	4735-41134-70	8	CW	3.00	2.03	0.97	2.562	3.500
29.50	4735-41135-18	8	CW	3.00	1.28	1.72	2.000	3.500
29.50	4735-41135-66	8	CW	3.00	1.28	1.72	2.562	3.500
29.50	4735-41135-68	8	CW	3.00	1.28	1.72	5.001	6.000
29.50	4735-41391-58	9	CW	3.50	0.54	2.96	5.001	6.000
29.50	4735-41392-58	9	CW	3.50	1.29	2.21	5.001	6.000
29.50	4735-41392-113	9	CW	3.50	1.29	2.21	2.560	3.500
29.50	4735-41393-117	9	CW	3.50	2.04	1.46	2.560	3.500
29.50	4735-42113-56	9	CW	3.13	2.04	1.33	2.562	3.500
29.50	4735-42621-18	9	CCW	3.60	0.54	2.96	2.000	3.500
29.50	4735-42621-55	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
29.50	4735-42621-56	9	CCW	3.60	0.54	2.96	2.562	3.500
29.50	4735-42621-57	9	CCW	3.60	0.54	2.96	3.250	3.810
29.50	4735-42621-58	9	CCW	3.60	0.54	2.96	5.001	6.000
29.50	4735-42621-66	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
29.50	4735-42622-18	9	CCW	3.60	1.29	2.21	2.000	3.500
29.50	4735-42622-55	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
29.50	4735-42622-56	9	CCW	3.60	1.29	2.21	2.562	3.500
29.50	4735-42622-57	9	CCW	3.60	1.29	2.21	3.250	3.800
29.50	4735-42622-58	9	CCW	3.60	1.29	2.21	5.001	6.000
29.50	4735-42622-66	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
29.50	4735-42623-18	9	CCW	3.60	2.04	1.46	2.000	3.500
29.50	4735-42623-55	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
29.50	4735-42623-56	9	CCW	3.60	2.04	1.46	2.562	3.500
29.50	4735-42623-57	9	CCW	3.60	2.04	1.46	3.250	3.810
29.50	4735-42623-58	9	CCW	3.60	2.04	1.46	5.001	6.000
29.50	4735-42623-66	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
29.50	4735-43439-87	8	CW	3.17	1.27	—	7.001	8.440
28.52	4735-44000-02	11	CW	3.72	1.56	2.16	2.562	3.500
29.53	010011285	11	CW	3.72	0.82	2.9	2.562	3.500
29.53	4735-44002-07	11	CW	3.72	1.57	2.15	2.562	3.500
29.53	010011077	11	CW	3.72	2.32	1.4	2.562	3.500
29.53	4735-35480-130	6	CW	2.83	1.85	0.98	2.000	3.500
29.53	4735-42599-09	10	CCW	2.90	2.10	0.93	1.614	2.500
29.53	4735-42599-10	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
29.53	4735-42600-09	10	CW	2.90	2.10	0.93	1.614	2.500
29.53	4735-42600-10	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
29.53	4735-42600-86	10	CW	2.90	2.10	0.93	2.562	3.500
29.53	4735-42600-87	10	CW	2.90	2.10	0.93	2.000	3.500
29.53	4735-42600-88	10	CW	2.90	2.10	0.93	5.001	6.000
29.53	4735-42904-106	8	CW	3.00	0.98	2.01	2.560	3.500
29.62	010019703	11	CW	3.72	1.60	2.12	2.562	3.500
29.72	4735-35828-192	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
30.00	4035-37494-46	8	CW	2.80	1.27	1.72	7.001	8.440
30.00	4735-35480-05	6	CW	2.83	1.85	0.98	2.562	3.500
30.00	4735-35480-06	6	CW	2.83	1.85	0.98	2.000	3.500

FAN SPECS BY DIAMETER

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
30.00	4735-35480-24	6	CW	2.83	1.85	0.98	3.687	4.625
30.00	4735-35480-33	6	CW	2.83	1.85	0.98	5.001	6.000
30.00	4735-35480-76	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
30.00	4735-35828-01	7	CCW	2.72	1.42	1.30	4.501	5.500
30.00	4735-35828-13	7	CCW	2.72	1.42	1.30	2.562	3.500
30.00	4735-35828-21	7	CCW	2.72	1.42	1.30	2.562	3.500
30.00	4735-35828-32	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
30.00	4735-35828-39	7	CCW	2.72	1.42	1.30	3.687	4.625
30.00	4735-35828-54	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
30.00	4735-35828-97	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
30.00	4735-35828-98	7	CCW	2.72	1.42	1.30	4.000	4.478
30.00	4735-35828-99	7	CCW	2.72	1.42	1.30	5.001	6.000
30.00	4735-35828-121	7	CCW	2.72	1.42	1.30	2.187	3.000
30.00	4735-35828-147	7	CCW	2.72	1.42	1.30	1.002	1.730
30.00	4735-35828-148	7	CCW	2.72	1.42	1.30	3.001	5.500
30.00	4735-35828-175	7	CCW	2.72	1.42	1.30	4.254	5.040
30.00	4735-37494-03	8	CW	3.01	0.87	2.14	7.000	8.440
30.00	4735-37494-04	8	CW	3.01	0.87	2.14	2.000	3.50/3.875
30.00	4735-37494-08	8	CW	3.01	0.87	2.14	2.560	3.500
30.00	4735-37494-13	8	CW	3.01	0.87	2.14	2.050	3.50/3.875
30.00	4735-37494-19	8	CW	3.01	0.87	2.14	5.001	6.000
30.00	4735-37494-21	8	CW	3.01	0.87	2.14	3.680	4.620
30.00	4735-37494-43	8	CW	3.01	0.87	2.14	1.002	1.97/2.36
30.00	4735-38164-06	8	CW	4.00	1.42	2.58	2.000	3.50/3.875
30.00	4735-38164-07	8	CW	4.00	1.42	2.58	2.560	3.500
30.00	4735-38164-08	8	CW	4.00	1.42	2.58	3.687	4.625
30.00	4735-38164-09	8	CW	4.00	1.42	2.58	5.001	6.000
30.00	4735-38164-19	8	CW	4.00	1.42	2.58	2.053	3.50/3.875
30.00	4735-38164-30	8	CW	4.00	1.42	2.58	1.002	1.97/2.360
30.00	4735-38164-50	8	CW	4.00	1.42	2.58	2.000	3.500
30.00	4735-38164-80	8	CW	4.00	1.42	2.58	2.562	3.500
30.00	4735-38585-02	8	CW	4.00	1.42	2.58	7.001	8.440
30.00	4735-38617-05	6	CW	2.83	1.85	0.98	5.001	6.000
30.00	4735-38617-10	6	CW	2.83	1.85	0.98	2.000	3.500
30.00	4735-38617-11	6	CW	2.83	1.85	0.98	2.562	3.500
30.00	4735-38617-12	6	CW	2.83	1.85	0.98	5.001	6.000
30.00	4735-38617-30	6	CW	2.83	1.85	0.98	2.000	3.500
30.00	4735-38825-01	6	CW	2.83	1.17	1.66	5.001	6.000
30.00	4735-38825-05	6	CW	2.83	1.17	1.66	2.560	3.500
30.00	4735-38825-09	6	CW	2.83	1.17	1.66	2.000	3.500
30.00	4735-38825-58	6	CW	2.83	1.17	1.66	1.002	1.97/2.360
30.00	4735-38825-59	6	CW	2.83	1.17	1.66	2.000	3.50/3.875
30.00	4735-38825-62	6	CW	2.83	1.17	1.66	4.000	4.478
30.00	4735-38825-73	6	CW	2.83	1.17	1.66	2.562	3.500
30.00	4735-41134-01	8	CW	3.00	2.03	0.97	2.562	3.500
30.00	4735-41134-02	8	CW	3.00	2.03	0.97	2.000	3.50/3.875
30.00	4735-41134-04	8	CW	3.00	2.03	0.97	2.000	3.50/3.875
30.00	4735-41134-13	8	CW	3.00	2.03	0.97	5.001	6.000
30.00	4735-41135-01	8	CW	3.00	1.28	1.72	2.562	3.500
30.00	4735-41135-02	8	CW	3.00	1.28	1.72	2.000	3.500
30.00	4735-41135-14	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
30.00	4735-41135-15	8	CW	3.00	1.28	1.72	3.250	3.810
30.00	4735-41135-16	8	CW	3.00	1.28	1.72	5.001	6.000
30.00	4735-41135-52	8	CW	3.00	1.28	1.72	2.053	3.50/3.875
30.00	4735-41135-54	8	CW	3.00	1.28	1.72	3.864	4.610
30.00	4735-41391-01	9	CW	3.50	0.54	2.96	2.562	3.500
30.00	4735-41391-02	9	CW	3.50	0.54	2.96	2.000	3.500
30.00	4735-41391-14	9	CW	3.50	0.54	2.96	1.002	1.97/2.360
30.00	4735-41391-16	9	CW	3.50	0.54	2.96	5.001	6.000
30.00	4735-41391-76	9	CW	3.50	0.54	2.96	4.000	4.478
30.00	4735-41391-80	9	CW	3.50	0.54	2.96	2.187	3.000
30.00	4735-41391-84	9	CW	3.50	0.54	2.96	2.053	3.50/3.875
30.00	4735-41392-01	9	CW	3.50	1.29	2.21	2.562	3.500
30.00	4735-41392-02	9	CW	3.50	1.29	2.21	2.000	3.50/3.875
30.00	4735-41392-14	9	CW	3.50	1.29	2.21	1.002	1.97/2.360
30.00	4735-41392-15	9	CW	3.50	1.29	2.21	3.250	3.810
30.00	4735-41392-16	9	CW	3.50	1.29	2.21	5.001	6.000
30.00	4735-41392-76	9	CW	3.50	1.29	2.21	4.000	4.478
30.00	4735-41392-84	9	CW	3.50	1.29	2.21	2.053	3.50/3.875
30.00	4735-41393-01	9	CW	3.50	2.04	1.46	2.562	3.500
30.00	4735-41393-02	9	CW	3.50	2.04	1.46	2.000	3.500
30.00	4735-41393-14	9	CW	3.50	2.04	1.46	1.002	1.97/2.360

30.00 – 30.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
30.00	4735-41393-16	9	CW	3.50	2.04	1.46	5.001	6.000
30.00	4735-41393-75	9	CW	3.50	2.04	1.46	4.000	4.478
30.00	4735-41393-76	9	CW	3.50	2.04	1.46	4.000	4.478
30.00	4735-41393-80	9	CW	3.50	2.04	1.46	2.187	3.000
30.00	4735-41393-84	9	CW	3.50	2.04	1.46	2.053	3.50/3.875
30.00	4735-41393-101	9	CW	3.50	2.04	1.46	4.921	5.750/6.00
30.00	4735-42111-02	9	CW	3.13	0.54	2.83	2.000	3.500
30.00	4735-42112-01	9	CW	3.13	1.29	2.08	2.562	3.500
30.00	4735-42112-02	9	CW	3.13	1.29	2.08	2.000	3.500
30.00	4735-42113-01	9	CW	3.13	2.04	1.33	2.562	3.500
30.00	4735-42599-01	10	CCW	2.90	2.10	0.93	1.002	1.97/2.360
30.00	4735-42599-02	10	CCW	2.90	2.10	0.93	1.500	Double
30.00	4735-42599-03	10	CCW	2.90	2.10	0.93	1.614	2.500
30.00	4735-42599-04	10	CCW	2.90	2.10	0.93	2.000	3.50/3.875
30.00	4735-42599-05	10	CCW	2.90	2.10	0.93	2.562	3.500
30.00	4735-42599-07	10	CCW	2.90	2.10	0.93	4.921	5.750/6.00
30.00	4735-42599-08	10	CCW	2.90	2.10	0.93	5.001	6.000
30.00	4735-42599-68	10	CCW	2.90	2.10	0.93	2.187	3.000
30.00	4735-42599-75	10	CCW	2.90	2.10	0.93	3.687	4.625
30.00	4735-42600-01	10	CW	2.90	2.10	0.93	1.002	1.97/2.360
30.00	4735-42600-02	10	CW	2.90	2.10	0.93	1.500	Double
30.00	4735-42600-03	10	CW	2.90	2.10	0.93	1.614	2.500
30.00	4735-42600-04	10	CW	2.90	2.10	0.93	2.000	3.50/3.875
30.00	4735-42600-05	10	CW	2.90	2.10	0.93	2.562	3.500
30.00	4735-42600-06	10	CW	2.90	2.10	0.93	4.000	4.478
30.00	4735-42600-07	10	CW	2.90	2.10	0.93	4.921	5.750/6.00
30.00	4735-42600-08	10	CW	2.90	2.10	0.93	5.001	6.000
30.00	4735-42600-68	10	CW	2.90	2.10	0.93	2.187	3.000
30.00	4735-42600-75	10	CW	2.90	2.10	0.93	3.687	4.625
30.00	4735-42600-113	10	CW	2.90	2.10	0.93	3.000	5.250
30.00	010011655	11	CW	3.72	2.31	1.41	2.000	3.500
30.00	010020201	11	CW	3.72	1.60	2.12	2.562	3.500
30.00	4735-44003-04	11	CW	3.72	2.31	1.41	2.562	3.500
30.00	4735-44003-11	11	CW	3.72	2.31	1.41	2.562	3.500
30.00	4735-44003-14	11	CW	3.72	2.31	1.41	2.562	3.500
30.00	4735-44002-04	11	CW	3.72	1.57	2.15	2.562	3.500
30.00	010011084	11	CW	3.72	2.31	1.41	2.562	3.500
30.00	010019703	11	CW	3.72	1.60	2.12	2.562	3.500
30.00	4735-44003-16	11	CW	3.72	2.31	1.41	5.001	6.000
30.00	010020940	11	CW	3.72	1.57	2.15	5.001	6.000
30.00	4735-42621-01	9	CCW	3.60	0.54	2.96	2.562	3.500
30.00	4735-42621-02	9	CCW	3.60	0.54	2.96	2.000	3.500
30.00	4735-42621-14	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
30.00	4735-42621-15	9	CCW	3.60	0.54	2.96	3.250	3.810
30.00	4735-42621-16	9	CCW	3.60	0.54	2.96	5.001	6.000
30.00	4735-42621-84	9	CCW	3.60	0.54	2.96	2.053	3.50/3.875
30.00	4735-42621-101	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
30.00	4735-42622-01	9	CCW	3.60	1.29	2.21	2.562	3.500
30.00	4735-42622-02	9	CCW	3.60	1.29	2.21	2.000	3.500
30.00	4735-42622-14	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
30.00	4735-42622-15	9	CCW	3.60	1.29	2.21	3.250	3.810
30.00	4735-42622-16	9	CCW	3.60	1.29	2.21	5.001	6.000
30.00	4735-42622-76	9	CCW	3.60	1.29	2.21	4.000	4.478
30.00	4735-42622-84	9	CCW	3.60	1.29	2.21	2.053	3.50/3.875
30.00	4735-42622-111	9	CCW	3.60	1.29	2.21	3.750	4.625
30.00	4735-42622-112	9	CCW	3.60	1.29	2.21	1.889	2.840
30.00	4735-42623-01	9	CCW	3.60	2.04	1.46	2.562	3.500
30.00	4735-42623-02	9	CCW	3.60	2.04	1.46	2.000	3.500
30.00	4735-42623-14	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
30.00	4735-42623-15	9	CCW	3.60	2.04	1.46	3.250	3.810
30.00	4735-42623-16	9	CCW	3.60	2.04	1.46	5.001	6.000
30.00	4735-42623-76	9	CCW	3.60	2.04	1.46	4.000	4.478
30.00	4735-42623-84	9	CCW	3.60	2.04	1.46	2.053	3.50/3.875
30.00	4735-42623-101	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
30.00	4735-42904-04	8	CW	3.00	0.98	2.01	2.000	3.50/3.875
30.00	4735-42904-08	8	CW	3.00	0.98	2.01	2.562	3.500
30.00	4735-42904-13	8	CW	3.00	0.98	2.01	2.053	3.50/3.875
30.00	4735-42904-19	8	CW	3.00	0.98	2.01	5.001	6.000
30.00	4735-42904-21	8	CW	3.00	0.98	2.01	3.687	4.625
30.00	4735-42904-43	8	CW	3.00	0.98	2.01	1.002	1.97/2.360
30.00	4735-42904-71	8	CW	3.00	0.98	2.01	2.562	3.500
30.00	4735-42904-100	8	CW	3.00	0.98	2.01	3.003	4.250

FAN SPECS BY DIAMETER

30.00 – 31.53

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
30.00	4735-42904-104	8	CW	3.00	0.98	2.01	2.000	3.500
30.00	4735-43439-03	8	CW	3.17	1.27	1.76	7.001	8.440
30.00	4735-43440-09	9	CW	3.79	1.50	2.18	2.562	3.500
30.00	4735-43440-10	9	CW	3.79	1.50	2.18	2.000	3.500
30.00	4735-43440-11	9	CW	3.79	1.50	2.18	5.001	6.000
30.00	4735-43440-12	9	CW	3.79	1.50	2.18	1.002	1.97/2.360
30.00	4735-43440-29	9	CW	3.79	1.50	2.18	2.053	3.500
30.00	4735-42111-09	9	CW	3.13	0.54	2.83	2.562	3.500
31.00	4735-35480-125	6	CW	2.83	1.85	0.98	2.562	3.500
31.00	4735-35480-131	6	CW	2.83	1.85	0.98	2.000	3.500
31.00	4735-38825-75	6	CW	2.83	1.17	1.66	2.562	3.500
31.00	4735-41134-46	8	CW	3.00	2.03	0.97	2.562	3.500
31.00	4735-41134-47	8	CW	3.00	2.03	0.97	5.001	6.000
31.00	4735-41134-68	8	CW	3.00	2.03	0.97	2.000	3.500
31.00	4735-41135-10	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
31.00	4735-41135-11	8	CW	3.00	1.28	1.72	2.000	3.500
31.00	4735-41135-12	8	CW	3.00	1.28	1.72	2.562	3.500
31.00	4735-41135-13	8	CW	3.00	1.28	1.72	5.001	6.000
31.00	4735-41391-12	9	CW	3.50	0.54	2.96	2.562	3.500
31.00	4735-41392-10	9	CW	3.50	1.29	2.21	1.002	1.97/2.360
31.00	4735-41392-11	9	CW	3.50	1.29	2.21	2.000	3.500
31.00	4735-41393-11	9	CW	3.50	2.04	1.46	2.000	3.500
31.00	4735-41393-12	9	CW	3.50	2.04	1.46	2.562	3.500
31.00	4735-41393-13	9	CW	3.50	2.04	1.46	5.001	6.000
31.00	4735-41393-100	9	CW	3.50	2.04	1.46	2.053	3.50/3.875
31.00	4735-41393-107	9	CW	3.50	2.04	1.46	2.053	3.875/6.00
31.00	4735-42112-12	9	CW	3.13	1.29	2.08	2.562	3.500
31.00	4735-42113-12	9	CW	3.13	2.04	1.33	2.562	3.500
31.00	4735-42113-13	9	CW	3.13	2.04	1.33	5.001	6.000
31.00	4735-42137-13	8	CW	3.00	0.53	2.47	5.001	6.000
31.00	4735-42137-46	8	CW	3.00	0.53	2.47	2.562	3.500
31.00	4735-42621-10	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
31.00	4735-42621-11	9	CCW	3.60	0.54	2.96	2.000	3.500
31.00	4735-42621-12	9	CCW	3.60	0.54	2.96	2.562	3.500
31.00	4735-42621-13	9	CCW	3.60	0.54	2.96	5.001	6.000
31.00	4735-42621-100	9	CCW	3.60	0.54	2.96	2.053	3.50/3.875
31.00	4735-42622-10	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
31.00	4735-42622-11	9	CCW	3.60	1.29	2.21	2.000	3.500
31.00	4735-42622-12	9	CCW	3.60	1.29	2.21	2.562	3.500
31.00	4735-42622-13	9	CCW	3.60	1.29	2.21	5.001	6.000
31.00	4735-42622-100	9	CCW	3.60	1.29	2.21	2.053	3.50/3.875
31.00	4735-42623-10	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
31.00	4735-42623-11	9	CCW	3.60	2.04	1.46	2.000	3.500
31.00	4735-42623-12	9	CCW	3.60	2.04	1.46	2.562	3.500
31.00	4735-42623-13	9	CCW	3.60	2.04	1.46	5.001	6.000
31.00	4735-42623-100	9	CCW	3.60	2.04	1.46	2.053	3.50/3.875
31.00	4735-42904-101	8	CW	3.00	0.98	2.01	2.000	3.500
31.00	4735-43440-05	9	CW	3.79	1.50	2.18	2.562	3.500
31.00	4735-43440-06	9	CW	3.79	1.50	2.18	2.000	3.500
31.00	4735-43440-07	9	CW	3.79	1.50	2.18	5.001	6.000
31.00	4735-43440-08	9	CW	3.79	1.50	2.18	1.002	1.97/2.360
31.00	010011667	11	CW	3.72	1.60	2.12	2.562	3.500
31.00	4735-44003-13	11	CW	3.72	2.31	1.41	2.562	3.500
31.00	4735-44003-15	11	CW	3.72	2.31	1.41	2.562	3.500
31.00	010011644	11	CW	3.72	2.31	1.41	2.562	3.500
31.50	4735-35828-125	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
31.50	4735-35828-184	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
31.50	4735-35828-195	7	CCW	2.72	1.42	1.30	1.002	1.96/2.36
31.50	4735-41392-86	9	CW	3.50	1.29	2.21	2.000	3.500
31.50	4735-41393-86	9	CW	3.50	2.04	1.46	2.000	3.500
31.50	4735-42621-86	9	CCW	3.60	0.54	2.96	2.000	3.500
31.50	4735-42621-99	9	CCW	3.60	0.54	2.96	2.562	3.500
31.50	4735-42622-86	9	CCW	3.60	1.29	2.21	2.000	3.500
31.50	4735-42622-99	9	CCW	3.60	1.29	2.21	2.562	3.500
31.50	4735-42623-86	9	CCW	3.60	2.04	1.46	2.000	3.500
31.50	4735-42623-99	9	CCW	3.60	2.04	1.46	2.562	3.500
31.50	4735-43440-33	9	CW	3.79	1.50	2.18	2.000	3.500
31.50	4735-44003-13	11	CW	3.72	2.31	1.41	2.562	3.500
31.50	010011083	11	CW	3.72	2.31	1.41	2.562	3.500
31.53	4735-42621-107	9	CCW	3.60	0.54	2.96	2.053	3.875/6.00
31.53	4735-42622-107	9	CCW	3.60	1.29	2.21	2.053	3.875/6.00
31.53	4735-42623-107	9	CCW	3.60	2.04	1.46	2.053	3.50/3.875

FAN SPECS BY DIAMETER

32.00 – 32.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
32.00	4735-35480-01	6	CW	2.83	1.85	0.98	2.562	3.500
32.00	4735-35480-02	6	CW	2.83	1.85	0.98	2.000	3.500
32.00	4735-35480-03	6	CW	2.83	1.85	0.98	5.001	6.000
32.00	4735-35480-04	6	CW	2.83	1.85	0.98	3.687	4.625
32.00	4735-35480-11	6	CW	2.83	1.85	0.98	4.921	5.750/6.00
32.00	4735-35480-27	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
32.00	4735-35480-34	6	CW	2.83	1.85	0.98	2.053	3.50/3.875
32.00	4735-35828-07	7	CCW	2.72	1.42	1.30	2.562	3.500
32.00	4735-35828-08	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
32.00	4735-35828-20	7	CCW	2.72	1.42	1.30	4.501	5.500
32.00	4735-35828-26	7	CCW	2.72	1.42	1.30	3.687	4.625
32.00	4735-35828-34	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
32.00	4735-35828-37	7	CCW	2.72	1.42	1.30	5.001	6.000
32.00	4735-35828-50	7	CCW	2.72	1.42	1.30	3.001	5.250
32.00	4735-35828-55	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
32.00	4735-35828-62	7	CCW	2.72	1.42	1.30	3.687	4.625
32.00	4735-35828-155	7	CCW	2.72	1.42	1.30	4.254	5.040
32.00	4735-37494-01	8	CW	3.01	0.87	2.14	7.001	8.440
32.00	4735-37494-02	8	CW	3.01	0.87	2.14	2.000	3.50/3.875
32.00	4735-37494-07	8	CW	3.01	0.87	2.14	2.560	3.500
32.00	4735-37494-10	8	CW	3.01	0.87	2.14	5.001	6.000
32.00	4735-37494-12	8	CW	3.01	0.87	2.14	2.050	3.50/3.875
32.00	4735-37494-32	8	CW	3.01	0.87	2.14	3.680	4.620
32.00	4735-37494-44	8	CW	3.01	0.87	2.14	1.002	1.97/2.36
32.00	4735-38164-01	8	CW	4.00	1.42	2.58	2.000	3.500
32.00	4735-38164-02	8	CW	4.00	1.42	2.58	2.562	3.500
32.00	4735-38164-03	8	CW	4.00	1.42	2.58	3.687	4.625
32.00	4735-38164-04	8	CW	4.00	1.42	2.58	5.001	6.000
32.00	4735-38164-18	8	CW	4.00	1.42	2.58	2.053	3.50/3.875
32.00	4735-38164-21	8	CW	4.00	1.42	2.58	4.921	5.750/6.00
32.00	4735-38164-31	8	CW	4.00	1.42	2.58	1.002	1.97/2.360
32.00	4735-38164-101	8	CW	4.00	1.42	2.58	3.001	5.500
32.00	4735-38585-05	8	CW	4.00	1.42	2.58	7.001	8.440
32.00	4735-38617-15	6	CW	2.83	1.85	0.98	2.000	3.500
32.00	4735-38617-16	6	CW	2.83	1.85	0.98	2.562	3.500
32.00	4735-38617-18	6	CW	2.83	1.85	0.98	5.001	6.000
32.00	4735-38617-33	6	CW	2.83	1.85	0.98	2.000	3.50/3.875
32.00	4735-38825-02	6	CW	2.83	1.17	1.66	5.001	6.000
32.00	4735-38825-03	6	CW	2.83	1.17	1.66	2.562	3.500
32.00	4735-38825-04	6	CW	2.83	1.17	1.66	2.000	3.500
32.00	4735-38825-64	6	CW	2.83	1.17	1.66	1.002	1.97/2.360
32.00	4735-38825-65	6	CW	2.83	1.17	1.66	2.000	3.50/3.875
32.00	4735-41134-41	8	CW	3.00	2.03	0.97	2.000	3.500
32.00	4735-41134-42	8	CW	3.00	2.03	0.97	2.562	3.500
32.00	4735-41134-43	8	CW	3.00	2.03	0.97	5.001	6.000
32.00	4735-41135-06	8	CW	3.00	1.28	1.72	1.002	1.97/2.360
32.00	4735-41135-07	8	CW	3.00	1.28	1.72	2.000	3.500
32.00	4735-41135-08	8	CW	3.00	1.28	1.72	2.562	3.500
32.00	4735-41135-09	8	CW	3.00	1.28	1.72	5.001	6.000
32.00	4735-41135-49	8	CW	3.00	1.28	1.72	2.053	3.50/3.875
32.00	4735-41391-07	9	CW	3.50	0.54	2.96	2.000	3.500
32.00	4735-41391-08	9	CW	3.50	0.54	2.96	2.562	3.500
32.00	4735-41391-09	9	CW	3.50	0.54	2.96	5.001	6.000
32.00	4735-41391-85	9	CW	3.50	0.54	2.96	2.187	3.000
32.00	4735-41391-87	9	CW	3.50	0.54	2.96	2.053	3.50/3.875
32.00	4735-41392-06	9	CW	3.50	1.29	2.21	1.002	1.97/2.360
32.00	4735-41392-07	9	CW	3.50	1.29	2.21	2.000	3.500
32.00	4735-41392-08	9	CW	3.50	1.29	2.21	2.562	3.500
32.00	4735-41392-09	9	CW	3.50	1.29	2.21	5.001	6.000
32.00	4735-41392-78	9	CW	3.50	1.29	2.21	4.000	4.478
32.00	4735-41392-85	9	CW	3.50	1.29	2.21	2.187	3.000
32.00	4735-41392-87	9	CW	3.50	1.29	2.21	2.053	3.50/3.875
32.00	4735-41392-88	9	CW	3.50	1.29	2.21	3.687	4.625
32.00	4735-41392-94	9	CW	3.50	1.29	2.21	4.921	5.750/6.00
32.00	4735-41392-109	9	CW	3.50	1.29	2.21	3.000	5.250
32.00	4735-41393-06	9	CW	3.50	2.04	1.46	1.002	1.97/2.360
32.00	4735-41393-07	9	CW	3.50	2.04	1.46	2.000	3.500
32.00	4735-41393-08	9	CW	3.50	2.04	1.46	2.562	3.500
32.00	4735-41393-09	9	CW	3.50	2.04	1.46	5.001	6.000
32.00	4735-41393-85	9	CW	3.50	2.04	1.46	2.187	Double
32.00	4735-41393-87	9	CW	3.50	2.04	1.46	2.053	3.50/3.875
32.00	4735-42111-07	9	CW	3.13	0.54	2.83	2.000	3.500

FAN SPECS BY DIAMETER

32.00 – 34.00

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
32.00	4735-42111-08	9	CW	3.13	0.54	2.83	2.562	3.500
32.00	4735-42112-07	9	CW	3.13	1.29	2.08	2.000	3.500
32.00	4735-42113-08	9	CW	3.13	2.04	1.33	2.562	3.500
32.00	4735-42137-42	8	CW	3.00	0.53	2.47	2.562	3.500
32.00	4735-42578-43	8	CW	3.00	2.03	0.97	5.001	6.000
32.00	4735-42621-06	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
32.00	4735-42621-07	9	CCW	3.60	0.54	2.96	2.000	3.500
32.00	4735-42621-08	9	CCW	3.60	0.54	2.96	2.562	3.500
32.00	4735-42621-09	9	CCW	3.60	0.54	2.96	5.001	6.000
32.00	4735-42621-67	9	CCW	3.60	0.54	2.96	2.082	3.500
32.00	4735-42621-87	9	CCW	3.60	0.54	2.96	2.053	3.50/3.875
32.00	4735-42621-88	9	CCW	3.60	0.54	2.96	3.687	4.625
32.00	4735-42621-94	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
32.00	4735-42622-06	9	CCW	3.60	1.29	2.21	1.002	1.970
32.00	4735-42622-07	9	CCW	3.60	1.29	2.21	2.000	3.500
32.00	4735-42622-08	9	CCW	3.60	1.29	2.21	2.562	3.500
32.00	4735-42622-09	9	CCW	3.60	1.29	2.21	5.001	6.000
32.00	4735-42622-67	9	CCW	3.60	1.29	2.21	2.082	3.500
32.00	4735-42622-87	9	CCW	3.60	1.29	2.21	2.053	3.50/3.875
32.00	4735-42622-88	9	CCW	3.60	1.29	2.21	3.687	4.625
32.00	4735-42622-94	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
32.00	4735-42623-06	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
32.00	4735-42623-07	9	CCW	3.60	2.04	1.46	2.000	3.500
32.00	4735-42623-08	9	CCW	3.60	2.04	1.46	2.562	3.500
32.00	4735-42623-09	9	CCW	3.60	2.04	1.46	5.001	6.000
32.00	4735-42623-67	9	CCW	3.60	2.04	1.46	2.082	3.500
32.00	4735-42623-85	9	CCW	3.60	2.04	1.46	2.187	3.000
32.00	4735-42623-87	9	CCW	3.60	2.04	1.46	2.053	3.50/3.875
32.00	4735-42623-88	9	CCW	3.60	2.04	1.46	3.687	4.625
32.00	4735-42623-94	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
32.00	4735-42890-41	8	CW	3.25	0.98	1.72	2.000	3.500
32.00	4735-42890-42	8	CW	3.25	0.98	1.72	2.562	3.500
32.00	4735-42890-45	8	CW	3.25	0.98	1.72	5.001	6.000
32.00	4735-42904-02	8	CW	3.00	0.98	2.01	2.000	3.50/3.875
32.00	4735-42904-07	8	CW	3.00	0.98	2.01	2.562	3.500
32.00	4735-42904-10	8	CW	3.00	0.98	2.01	5.001	6.000
32.00	4735-42904-12	8	CW	3.00	0.98	2.01	2.053	3.50/3.875
32.00	4735-42904-32	8	CW	3.00	0.98	2.01	3.687	4.625
32.00	4735-42904-103	8	CW	3.00	0.98	2.01	2.000	3.500
32.00	4735-43439-01	8	CW	3.17-3.21	1.3	—	7.001	8.440
32.00	4735-43440-01	9	CW	3.79	1.50	2.18	2.562	3.500
32.00	4735-43440-02	9	CW	3.79	1.50	2.18	2.000	3.500
32.00	4735-43440-03	9	CW	3.79	1.50	2.18	5.001	6.000
32.00	4735-43440-04	9	CW	3.79	1.50	2.18	1.002	1.97/2.360
32.00	4735-42112-09	9	CW	3.13	1.29	2.08	2.560	3.500
32.00	4735-44003-12	11	CW	3.72	2.31	1.41	2.562	3.500
32.00	4735-44003-17	11	CW	3.72	2.31	1.41	2.562	3.500
32.00	010016900	11	CW	3.72	0.85	2.87	2.562	3.500
32.00	010011604	11	CW	3.72	2.31	1.41	2.562	3.500
32.00	010016827	11	CW	3.72	1.60	2.12	2.562	3.500
32.00	4735-44003-01	11	CW	3.72	2.31	1.41	2.562	3.500
32.00	4735-44003-12	11	CW	3.72	2.31	1.41	2.562	3.500
32.00	4735-44002-06	11	CW	3.72	1.57	2.15	2.562	3.500
32.28	4735-35828-186	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
33.00	4735-35828-123	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
34.00	4735-35828-25	7	CCW	2.72	1.42	1.30	3.001	5.500
34.00	4735-35828-35	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
34.00	4735-35828-48	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
34.00	4735-35828-60	7	CCW	2.72	1.42	1.30	2.562	3.500
34.00	4735-35828-124	7	CCW	2.72	1.42	1.30	3.687	4.625
34.00	4735-35828-154	7	CCW	2.72	1.42	1.30	4.254	5.040
34.00	4735-42621-511	9	CCW	3.60	0.54	2.96	2.082	3.500
34.00	4735-42621-512	9	CCW	3.60	0.54	2.96	2.562	3.500
34.00	4735-42622-113	9	CCW	3.60	1.29	2.21	3.687	4.625
34.00	4735-42622-511	9	CCW	3.60	1.29	2.21	2.000	3.500
34.00	4735-42622-512	9	CCW	3.60	1.29	2.21	2.560	3.500
34.00	4735-42623-511	9	CCW	3.60	2.04	1.46	2.000	3.500
34.00	4735-42623-512	9	CCW	3.60	2.04	1.46	2.562	3.500
34.00	4735-42890-02	8	CW	3.25	0.98	1.72	3.687	4.625
34.00	4735-42890-31	8	CW	3.25	0.98	1.72	2.000	3.500
34.00	4735-42890-32	8	CW	3.25	0.98	1.72	2.562	3.500
34.00	4735-42890-35	8	CW	3.25	0.98	1.72	5.001	6.000

FAN SPECS BY DIAMETER

36.00 –

Diameter	Part Number	Blades	Rot	PW	F-B	B-B	Pilot	Bolt Circle
36.00	4735-35828-03	7	CCW	2.72	1.42	1.30	2.053	3.50/3.875
36.00	4735-35828-06	7	CCW	2.72	1.42	1.30	2.562	3.500
36.00	4735-35828-10	7	CCW	2.72	1.42	1.30	4.501	5.500
36.00	4735-35828-30	7	CCW	2.72	1.42	1.30	2.000	3.50/3.875
36.00	4735-35828-33	7	CCW	2.72	1.42	1.30	3.001	5.500
36.00	4735-35828-51	7	CCW	2.72	1.42	1.30	3.001	5.250
36.00	4735-35828-57	7	CCW	2.72	1.42	1.30	1.002	1.97/2.360
36.00	4735-35828-185	7	CCW	2.72	1.42	1.30	4.921	5.750/6.00
36.00	4735-42621-501	9	CCW	3.60	0.54	2.96	1.002	1.97/2.360
36.00	4735-42621-502	9	CCW	3.60	0.54	2.96	2.000	3.500
36.00	4735-42621-503	9	CCW	3.60	0.54	2.96	2.053	3.50/3.875
36.00	4735-42621-504	9	CCW	3.60	0.54	2.96	2.082	3.500
36.00	4735-42621-505	9	CCW	3.60	0.54	2.96	2.562	3.500
36.00	4735-42621-506	9	CCW	3.60	0.54	2.96	3.250	3.810
36.00	4735-42621-507	9	CCW	3.60	0.54	2.96	3.687	4.625
36.00	4735-42621-509	9	CCW	3.60	0.54	2.96	4.921	5.750/6.00
36.00	4735-42621-510	9	CCW	3.60	0.54	2.96	5.001	6.000
36.00	4735-42622-501	9	CCW	3.60	1.29	2.21	1.002	1.97/2.360
36.00	4735-42622-502	9	CCW	3.60	1.29	2.21	2.000	3.500
36.00	4735-42622-503	9	CCW	3.60	1.29	2.21	2.053	3.50/3.875
36.00	4735-42622-504	9	CCW	3.60	1.29	2.21	2.082	3.500
36.00	4735-42622-505	9	CCW	3.60	1.29	2.21	2.562	3.500
36.00	4735-42622-506	9	CCW	3.60	1.29	2.21	3.250	3.810
36.00	4735-42622-507	9	CCW	3.60	1.29	2.21	3.687	4.625
36.00	4735-42622-509	9	CCW	3.60	1.29	2.21	4.921	5.750/6.00
36.00	4735-42622-510	9	CCW	3.60	1.29	2.21	5.001	6.000
36.00	4735-42623-501	9	CCW	3.60	2.04	1.46	1.002	1.97/2.360
36.00	4735-42623-502	9	CCW	3.60	2.04	1.46	2.000	3.500
36.00	4735-42623-503	9	CCW	3.60	2.04	1.46	2.053	3.50/3.875
36.00	4735-42623-504	9	CCW	3.60	2.04	1.46	2.082	3.500
36.00	4735-42623-505	9	CCW	3.60	2.04	1.46	2.562	3.500
36.00	4735-42623-506	9	CCW	3.60	2.04	1.46	3.250	3.810
36.00	4735-42623-507	9	CCW	3.60	2.04	1.46	3.687	4.625
36.00	4735-42623-509	9	CCW	3.60	2.04	1.46	4.921	5.750/6.00
36.00	4735-42623-510	9	CCW	3.60	2.04	1.46	5.001	6.000
36.00	4735-42890-21	8	CW	3.25	0.98	1.72	2.000	3.500
36.00	4735-42890-22	8	CW	3.25	0.98	1.72	2.562	3.500
36.00	4735-42890-25	8	CW	3.25	0.98	1.72	5.001	6.000
36.00	4735-42890-46	8	CW	3.25	0.98	1.72	5.122	6.500
36.00	4735-43889-25	8	CW	3.26	0.69	2.57	5.001	6.000
38.00	4735-42890-01	8	CW	3.25	0.98	1.72	3.687	4.625
38.00	4735-42890-11	8	CW	3.25	0.98	1.72	2.000	3.500
38.00	4735-42890-12	8	CW	3.25	0.98	1.72	2.562	3.500
38.00	4735-42890-15	8	CW	3.25	0.98	1.72	5.001	6.000
24.0P	4735-38164-54	8	CW	4.00	1.42	2.58	2.562	3.500
—	4735-42904-64	8	CW	3.00	0.98	2.01	—	—
22.00	4735-38449-10	10	CW	2.16	1.18	0.98	4.000	4.478
19.00	4735-38449-124	10	CW	2.16	1.18	0.98	2.510	3.250
18.71	4735-38449-125	10	CW	2.16	1.18	0.98	2.510	3.250
—	4735-38449-126	10	CW	2.16	1.18	0.98	—	—

FAN SPECS BY DIAMETER