


Chemicals & Lubricants







Lubricants	364
Castrol Retro A/C - Polyol Ester Oil	364
Castrol Retro A/C - Polyalkylene Glycol	364
Refrigerant Oil	365
Mineral Oil	365
Chemicals	365
Castrol A/C Flush	365
Castrol Leak Stop	365
Castrol Maxi-Charge	365
Castrol Lube & Seal	365
Oil Charge	366
Chemical & Lubricant Specifications	366



Lubricants

Castrol Retro A/C - Polyol Ester Oil

Part No. 3099041	Part No. 3099042	Part No. 3099043	Part No. 3099003
Synthetic Polyol Ester Lubricant	Synthetic Polyol Ester Lubricant	Synthetic Polyol Ester Lubricant	Synthetic Polyol Ester Lubricant
			
Can be used in R-12 and R-134a systems	Can be used in R-12 and R-134a systems	Can be used in R-12 and R-134a systems	Can be used in R-12 and R-134a systems
Package Size: 6 x 8 oz.	Package Size: 6 x 12 oz.	Package Size: 6 x 1 qt.	Package Size: 4 x 1 Gal.

Part No. 3099050



R-134a Ester Oil with UV dye




A mid viscosity Ester oil mixed with R-134a for easy charging into an R-134a A/C system

Package Size: **6 x 8 oz.**

Castrol to Sanden Refrigerant Oil Comparison	
Castrol	Sanden
PAG 46	SP10*
PAG 100	SP15
PAG 150	SP20




* SP10 is double end cap
SP20 discontinued, use SP15

Castrol Retro A/C - Polyalkylene Glycol

Part No. 3099044	Part No. 3099045*	Part No. 3099046
		
PAG 46 A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	PAG 100 For use in Selttec (Zexel, Diesel Kiki) R-134a compressors	PAG 150 PAG refrigerant oil for use when servicing Sanden R-134a compressors
Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.

NOTE: For Sanden equivalents, see Castrol to Sanden Comparison Chart below.

Castrol Retro A/C - Polyalkylene Glycol with Leak Die

Part No. 3099051	Part No. 3099052	Part No. 3099053
		
PAG 46 A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	PAG 100 For use in Selttec (Zexel, Diesel Kiki) R-134a compressors	PAG 150 PAG refrigerant oil for use when servicing Sanden R-134a compressors
Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.

Refrigerant Oil

Part No. 3099007	Part No. 3099008	Part No. 3099009
 <p>Refrigerant Oil R-134a - Sanden SP-15</p> <p>Package Size: 6 - 8.4 oz.</p>	 <p>Refrigerant Oil R-134a - Ester oil for (CCl) York - Retro Fix II</p> <p>Package Size: 14 oz.</p>	 <p>Refrigerant Oil Ester</p> <p>Package Size: 12 x 14oz.</p>

Mineral Oil


Part No. 3099047	Part No. 3099011	Part No. 3099054
 <p>High Grade Mineral Lubricant A premium mineral lubricant made specifically for R-12 A/C systems</p> <p>Package Size: 6 x 1 qt.</p>	 <p>High Grade Mineral Lubricant A premium mineral lubricant made specifically for R-12 A/C systems</p> <p>Package Size: 4 x 1 gal.</p>	 <p>Vacuum Pump Oil</p> <p>Package Size: 1 qt.</p>

Vacuum Pump Oil


Castrol A/C Flush

Part No. 3099048	Part No. 3099015	Part No. 3099039	Part No. 3099049
 <p>Castrol A/C Flush - Solvent Based</p> <p>Effective flushing agents available for removing debris and sludge out of A/C components</p> <p>Package Size: 6 x 1 qt.</p>	 <p>Castrol A/C Flush - Solvent Based</p> <p>Effective flushing agents available for removing debris and sludge out of A/C components</p> <p>Package Size: 4 x 1 Gal.</p>	 <p>Castrol A/C Flush - Non-flammable</p> <p>Effective flushing agents available for removing debris and sludge out of A/C components</p> <p>Package Size: 4 x 1 Gal.</p>	 <p>Castrol A/C Flush - Non-flammable</p> <p>Effective flushing agents available for removing debris and sludge out of A/C components</p> <p>Package Size: 6 x 1 qt.</p>


Castrol Leak Stop

Part No. 3099016
 <p>Leak Stop Helps to seal and detect most common A/C leaks in R-134a systems.</p> <p>Package Size: 12 x 4 oz.</p>

Castrol Maxi-Charge




Part No. 3099017
 <p>Maxi-Charge R-134a refrigerant with a performance booster and a leak sealer and conditioner. Good for all R-134a A/C systems.</p> <p>Package Size: 12 x 4 oz.</p>

Castrol Lube & Seal

Part No. 3099018
 <p>Lube & Seal Castrol's A/C Lube & Seal is a premium lubricant specially formulated for use with all A/C systems. A convenient aerosol spray lubricates and seals parts such as O-rings, fittings, compressor shaft seals, and gaskets to assure a safe reliable seal.</p> <p>Package Size: 12 x 9 oz.</p>

Chemical & Lubricant Specifications

Oil Charge

Part No. 3099019	Part No. 3099021	Part No. 3099023
 <p>Oil Charge Replaces compressor oil for R-12 systems</p> <p>Package Size: 12 x 4 oz.</p>	 <p>R-134a Oil Charge 2 oz. R-134a/2 oz. Castrol Retro A/C. Ideal for top off of R-134a systems - Quick, Easy, and Economical</p> <p>Package Size: 12 x 4 oz.</p>	 <p>R-134a PAG Oil Charge A mid viscosity PAG oil mixed with R-134a for easy charging into an R-134a A/C system</p> <p>Package Size: 12 x 4 oz.</p>

Chemical & Lubricant Specifications

Package Size	Description	Part No.
LUBRICANTS		
6 x 8 oz.	Castrol Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099041
6 x 12 oz.	Castrol Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099042
6 x 1 qt.	Castrol Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099043
4 x 1 Gal.	Castrol Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099003
6 x 8 oz.	Castrol Ester with Leak Die - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099050
6 x 8 oz.	Castrol Retro A/C - PAG 46 A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	3099044
6 x 8 oz.	Castrol Retro A/C - PAG 150 PAG refrigerant oil for use when servicing Sanden R-134a compressors	3099046
6 x 8 oz.	Castrol Retro A/C - PAG 100 For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	3099045
6 x 8.4 oz.	Refrigerant Oil - R-134a Sanden SP20	3099007
6 x 8 oz.	Castrol Retro A/C - PAG 46 with Leak Die - A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	3099051
6 x 8 oz.	Castrol Retro A/C - PAG 150 with Leak Die - PAG refrigerant oil for use when servicing Sanden R-134a compressors	3099053
6 x 8 oz.	Castrol Retro A/C - PAG 100 with Leak Die - For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	3099052
14 oz.	Refrigerant Oil - R-134a - Ester oil for (CCI) York Retro Fix II	3099008
12 x 14 oz.	Refrigerant Oil - Ester CCI	3099009
6 x 1 qt.	Mineral Oil - A premium mineral lubricant made specifically for R-12 A/C systems	3099047
4 x 1 Gal.	Mineral Oil - A premium mineral lubricant made specifically for R-12 A/C systems	3099011
qt.	Vacuum Pump Oil	3099054
CHEMICALS		
4 x 1 Gal.	Castrol A/C Flush - Solvent based. Effective flushing agents available for removing debris and sludge out of A/C components	3099015
6 x 1 qt.	Castrol A/C Flush - Solvent based. Effective flushing agents available for removing debris and sludge out of A/C components	3099048
4 x 1 Gal.	Castrol A/C Flush - Non-flammable Effective flushing agents available for removing debris and sludge out of A/C components	3099039
6 x 1 qt.	Castrol A/C Flush - Non-flammable Effective flushing agents available for removing debris and sludge out of A/C components	3099049
12 x 4 oz.	Castrol Leak Stop - Helps to seal and detect most common A/C leaks in R-134a systems	3099016
12 x 14 oz.	Castrol Maxi-Charge - R-134a refrigerant with a performance booster and a leak sealer and conditioner. Good for all R-134a A/C systems.	3099017
12 x 9 oz.	Castrol Lube & Seal - Castrol's A/C Lube & Seal is a premium lubricant specially formulated for use with all A/C systems. A convenient aerosol spray lubricates and seals parts such as O-Rings, fittings, compressor shaft seals, and gaskets to assure a safe reliable seal.	3099018
12 x 4 oz.	Replaces compressor oil for R-12 systems	3099019
12 x 4 oz.	2 oz. R-134a/2 oz. Castrol Retro A/C, Ideal for top off of R-134a systems, Quick, Easy, and Economical	3099021
12 x 4 oz.	A mid viscosity PAG oil mixed with R-134a for easy charging into an R-134a system	3099023